WATER WELL R		WWC-5		sion of Water			
Original Record		ge in Well Use		urces App. No.		Well ID	
1 LOCATION OF W	ATER WELL:	Fraction	1	tion Number	Township Numb		
County: Gray		SW 1/4 NW 1/4 NW 1/4		4	T 27 S	R 29 □ E 🗷 W	
2 WELL OWNER: La	ast Name: Minet	First: John				(if unknown, distance and	
Business:			direction from n	earest town or int	ersection): If at owne	r's address, check here:	
Address: PO Box 82 Address:	Address: PO Box 82 Address: County Rd 11 & S Rd Intersection						
City: Ingalls	1 1/2 Miles West, South Side 400'						
3 LOCATE WELL	State: KS					250	
WITH "X" IN		4 DEPTH OF COMPLETED WELL:590 ft.   5 Latitude:					
SECTION BOX:		r Encountered: 1)2				6404 (decimal degrees)	
N	2) ft.	3) ft., or 4) [	Dry Well		Z WGS 84 □ NA		
	WELL SSIATIC WA	ATER LEVEL:26 e, measured on (mo-day-	۲ الا الاستار 11/21/2015	Source for Latitude/Longitude:			
NW NE	above land surface	e, measured on (mo-day)	-yı)	☐ GPS (unit make/model:			
NW NE		water was 1					
W E		rs pumping		Online Mapper:			
		water was					
SW SE	after hou	rs pumping	gpm	6 Elevation: 2763ft. ☑ Ground Level ☐ TOC			
	Estimated Yield:3	Qgpm		6 Elevation: 2705tt.  Ground Level 10			
S		10in. to590		Source: [	_ Land Survey	GPS Topographic Map	
mile		in. to	ft.		Z Other MARNIN		
7 WELL WATER TO		Tata Camalan II IP		10 🗖 🔾	: 11 W-4 C 1 1		
1. Domestic:		ater Supply: well ID				ease	
Lawn & Garden		ing: how many wells? Recharge: well ID			le: well ID		
Livestock		ng: well ID					
2. Irrigation		ital Remediation: well II					
3. ☐ Feedlot	☐ Air Spar			, i — —			
4.  Industrial	☐ Recover						
Was a chemical/bacter	riological sample sub	mitted to KDHE?	Yes 7 No	If yes, date s	ample was submitte	ed:	
Water well disinfected?			100 21110	11 900, aaco o	impie was saeimu		
		VC. D Other	CASIN	JG JOINTS: I	☐ Glued ☐ Clampe	d 🗌 Welded 🗾 Threaded	
Casing diameter 6	in. to 590 ft	Diameter	in. to	ft Diamete	er in. to .	ft.	
Casing diameter 6 Casing height above land	surface12	in. Weight	lbs./ft.	Wall thickne	ss or gauge No. SDF	₹ 17	
TYPE OF SCREEN OF	R PERFORATION MA	ATERIAL:			• •		
☐ Steel ☐ Stair	nless Steel	erglass <b>Z</b> PVC		☐ Other	(Specify)		
			used (open hole	)			
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot	☐ Mill Slot ☐ G	Gauze Wrapped 🔲 To	orch Cut 🔲 D	rilled Holes	Other (Specify)		
Louvered Shutter	☐ Key Punched ☐	Wire Wrapped Z Sa	aw Cut 🔲 N	one (Open Hole	e) 600		
SCREEN-PERFORATI	ED INTERVALS: Fro	om . 300 ft. to .400 .	ft., From .:	449 ft. to .	220 ft., From	ft. to ft.	
GRAVEL PACK INTERVALS: From 0 ft. to 5 ft., From 40 ft. to 220 ft., From 240 ft. to 590 ft.							
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Nearest source of possible	la acatamination	ft., From449	it. to449.	tt., From	It. to	tt.	
Septic Tank	E contamination: ☐ Lateral Lin	nes	[7]	Livestock Pens	□ Insecti	icide Storage	
Sewer Lines	Cess Pool	☐ Sewage La		Fuel Storage		loned Water Well	
☐ Watertight Sewer Lin				Fertilizer Storag		ell/Gas Well	
☐ Other (Specify)							
Direction from well? . N		Distance from w	ell? .150				
10 FROM TO		OGIC LOG	FROM	TO L	THO. LOG (cont.) o	r PLUGGING INTERVALS	
Attached Attached A	Attached						
<del></del>		4.					
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, reconstructed, or plugged							
Wangas Water Wall Car	under my jurisdiction and was completed on (mo-day-year) .1.1/21/20.15 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 846 This Water Well Record was completed on (mo-day-year) .05/29/20.18						
under the business name	e of Nash Water We	Service 11 C	ater well kec	oru was comp	icieu on (mo-day-)	/ear)	
dider the ousiness hall	Send one copy to WATER	WELL OWNER and retain	one for your reco	ords. Fee of \$5 00	) for each constructed w	/ell.	
KS Department of Health a	and Environment, Bureau of	Water, Geology Section, 1	000 SW Jackson	St., Suite 420, To	peka, Kansas 66612-13	67. Telephone 785-296-3565.	
Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="http://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>							

ř.,

· · · · Gray SW NW NW NE 4-27-29 W

Form	WWC5		
Contractor	Nash Water Well Service, LLC		
Well Owner	John Minet		
Doc ID	1410391		

## Litholgy

Littloigy		
0	20	Top Soil, Fine Sand, Tan/Gray Clay Layer
20	60	Fine Med Sand, Tan Clay Layers
60	80	Fine Coarse Sand, Tan Clay Streaks
80	100	Fine Coarse sand, small med gravel layers
100	150	Fine Coarse sand, Tan Clay Streaks
150	170	White Caliche, Tan Clay with fine sand streaks
170	190	Fine Medium Sand
190	200	Fine Medium Sand with Tan Clay
200	232	Fine Medium Sand
232	280	Blue Shale
280	320	Blue Clay
320	360	Blue Shale
360	370	Blue Clay
370	420	Gray Sandstone
420	460	Gray Sandstone, Gray Clay
460	605	Gray Sandstone, with Gray Clay Streaks