CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Kingman Location changed to:
Section-Township-Range: 11-275-3 W	11-275-5W
Fraction (1/4 1/4 1/4): SE NW NE	SE NW NE
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal descentification method: written & legal descentification method:	criptions, position on on the website.
1, 1, 3,	initials: Deldate: 5/1/2007

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

			WATE	R WELL RECORD	Form WWC	-5 KSA 82a	1-1212	
1 LOCAT	TION OF WAT	ER WELL:	Fraction	1/	_ S	ection Number		Range Number
	Kiram		SE 1/	1 NW 1/4 NI	1/4		T 27 s	$R = \frac{1}{2} \left(\frac{1}{2} \left(\frac{1}{2} \right) \right)$
Distance	and direction			address of well if located the control of the contr		Ernon	Ke-	0
2 WATE	ER WELL OW	NER: Wally		7	, , ,	CILOR		
		(# : R+ 1	mayers	V			Board of Agricult	ture, Division of Water Resources
1	te, ZIP Code	- 1	24 VE 1.72	ne				·
			ey KS 672		10.5		Application Num	
AN "X	" IN SECTION	DOATION WITHIA	DEPTH OF O	COMPLETED WELL		, ft. ELEVA	TION:	
Į Ť		! ! !			_			ay/yr .3.20.98
	NW	XE						rs pumping gpm
	ı	' ' '						rs pumping gpm
A A								. , .in. to
Σ		!	and the same of th	TO BE USED AS:		ter supply	8 Air conditioning	11 Injection well
li l	SW	SE	1 Domestic				_	12 Other (Specify below)
	1	1	2 Irrigation	4 Industrial				
	L			bacteriological sample	submitted to I	•	•	f yes, mo/day/yr sample was sub-
<u> </u>			mitted				ter Well Disinfected? Ye	
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron		rete tile		Glued Clamped
	steel	3 RMP (SF	R)	6 Asbestos-Cement	9 Othe	r (specify below	,	Welded
(2 P			15	7 Fiberglass				Threaded
1	sing diameter	_	177					in. to ft.
1				.in., weight		_	ft. Wall thickness or gau	ige No.///OC/PV.()
TYPE OF	SCREEN O	R PERFORATION	I MATERIAL:		(Z P		10 Asbestos-	cement
1 S	Steel	3 Stainless	steel	5 Fiberglass		MP (SR)	11 Other (sp	ecify)
	Brass	4 Galvanize		6 Concrete tile	* 9 A	BS		d (open hole)
i		RATION OPENING			zed wrapped		8 Saw cut	11 None (open hole)
	Continuous slo			6 Wire	wrapped		9 Drilled holes	
1	ouvered shutt		y punched	15 7 Toro	ch cut		· · · · · · · · · · · · · · · · · · ·	
SCREEN	I-PERFORATE	ED INTERVALS:	From	ft. to .				. ft. toft.
			From					. ft. toft.
	GRAVEL PA	CK INTERVALS:	From	. 23 · · · · ft. to .	105			ft. toft.
			From	ft. to		ft., Fro		ft. to ft.
_	JT MATERIAL	,,		2 Cement grout	3 Ben		• • • • • • • • • • • • • • • • • • • •	
Grout Inte		n	•	ft., From	ft.			ft. to
		urce of possible of						14 Abandoned water well
	•	4 Latera		7 Pit privy			•	15 Oil well/Gas well
	Sewer lines	5 Cess	•	8 Sewage la	goon		•	16 Other (specify below)
1	Vatertight sew	er lines Seepa	age pft	9 Feedyard			cticide storage	
	from well?	/VOET	14				ny feet?	NO INTERVALO
FROM	TO		LITHOLOGIC	LOG	FROM	TO	PLUGGI	NG INTERVALS
	12	40051) /			+		
		wpo		7777		-		
2	15	clay						
	1,0	Ciny						
12	36	med	sand			-		
10	$-\omega$	max	JUNIOC	,				
36	65	Shu	ω .					
00		_ Si Di						
	-					 		
						1		
						-		
	_							
7 CONT	TRACTOR'S	OR LANDOWNER	S CERTIFICAT	ION: This water well	was (1) consti	ructed, (2) reco	onstructed, or (3) plugge	d under my jurisdiction and was
complete	d on (mo/day/	year)	2092			and this reco	ord is true to the best of r	my knowledge and belief. Kansas
Water W	ell Contractor	s License Nø	318	This Water	Well Record v	as completed	on (no/day/yr) 3:2	H-95/
under the	business na	me of Wen		Iling Inc		by (signa		Merurall
			5 100000000	FIRM Frag PRINT clearly	Diagon fill in blank	underline or direl	e the correct answers. Send ton	three copies to sansas Department
INSTR	RUCTIONS: Use ty	pewriter or ball point p	DEN PLEASE PRESS	and Phint Clearly.	lease III III Dialik	s, diluenine or dici	WNER and retain one for your	