WATER W	ELL RECORD	Form W	WC-5	Di	ivision of Wate	r Resources App.	No.		
LOCATION OF WATER WELL:		Fraction '		Section Number Township No.			Range Number		
County: S	Sedgwick	1/4 1/4	1/4 SW 1/2		32	T 27 S		□E ØW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here									
from near	est town of intersection. 11 at		Longitude: (in decimal degrees)						
1		Eleva	Elevation:						
2 WATER WELL OWNER: Nick Doby					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: Nick Doby RR#, Street Address, Box #: 126 N. Hibiscus					Collection Method: GPS unit (Make/Model:)				
City, State, ZIP Code : Garden Plain, KS 67050					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 100 ft.									
	SECTION BOX: Depth(s) Groundwater Encountered (1).40								
N	N WELL'S STATIC WATER LEVEL. 40ft. below land surface measured on mo/day/yr								
Pump test data: Well water wasft. after									
W 1 Bore Hole Diameter 10 in. to									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
My SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
S If yes, mo/day/yr sample was submitted									
Water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5 in. to .100 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26.									
Steel Stainless Steel PVC (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
GP.	AVEL PACK INTERVALS:	From 20	ft. to		ft., From		t. to	tt.	
· .	AVEL FACK INTERVALS.								
From ft. to ft., From ft. to ft.									
Grout Interva		20 ft., Fron	n	ft. to	ft.,	From	ft. to	ft.	
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well									
FROM TO	from well .East	FIC LOG	FROM	from w		OG (cont.) <u>or</u> PI	LIGGING	INTERMATE.	
0 3	Topsoil	31C EOG	FRON	10	LIITO. L	OO (COIII.) <u>OF</u> PL	DAILDDO	INTERVALS	
3 18	Clay								
18 23	Fine Sand .								
23 100	Shale								
			 		 				
			tl						
T CONTRACTORIS OR LANDOWNERS CERTIFICATION. The state of									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 2 constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year). 9/18/2015 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238. This Water Well Record was completed on (mo/day/year) 9/18/2015.									
under the business name of Premier Pump & Well Service, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									