			WATER \	N ELL RE	CORD	Forr	n WW	C-5 KS	SA 82a-12 ⁻	12			
11	N OF WATER	R WELL:	FRACTION				SECT	ON NUMBER		IP NUMBER	RANGE NUMBER		
Sedgy			NE 1/			W 1/	4	29	Т 2	.7 s	R	3W	EW
1		n nearest town or city :	street address of v Goddard, K		vithin city?								
2 WATE	ER WELL O	WNER: TAN	GANQIKA S. Hawkins	WILDL	IFE PAR	K				Board of Agr	iculture, Divisio	on of Wate	er Resource
100,01			dard, Kansa				ZIF	CODE: 6	7052	Application Nun	nber:		
3 LOCATE	WELL'S LO	CATION 4	DEPTH OF COI	MPLETED W	VELL:	120	ft.		ELEVATION:				
MTH A	N "X" IN SEC N	TION BOX:	pth of groundwa				ft.		-	ft.			ft.
	1	, w	ELL'S STATIC \	WATER LEV	EL 16	FT	. BELOV	W LAND SU	RFACE MEAS	URED ON mo/o	iay/yr:	12/8/2	.0
1' }	- NW	-NE		Pump test da	ata: Wel	water w	vas		ft. after		of pumping	_	gpm
W Wije			Est. Yield: ore Hole Diame	gpm eter 12		ll water v	vas to 1	20 ft.	ft. after		s of pumping	•	gpm ft.
= "	1	,	ELL WATER TO				ιο 1.	20 π.	and	in.	 11	to . Injecti e	
1. 1-5	8W	1	. Domestic	3. Feedlot	5. Public	c water	supply	7. Lawn a	nd garden on	9. Dewateri ly	9	•	cify below)
			Irrigation	4. Industria				8. Air con		10. Monitori			. aamala
-	s		Vas a chemical/ba bmitted	cteriological sa	ample submitte	d to Depa	rtment?	YES Was V	NO Vater Well Disir		what mo/da	y/yr was NO	
5 TYI	PE OF CAS	ING USED:					9 0#	her (Specify		SING JOINTS:	Glued	Т	hreaded
	. Steel	3. RPM (SF	•		7. Fiberg		SDF		Delow) Or	omo contro.	Welded	-	Clamped
	2. PVC	> 4. ABS	6. Asbes	stos-Cement			SDF	(- 20					
Blank cas	ing diamete	er 5	in. to	40 ft.	., Dia.		in.	to	ft.,	Dia.	in. t	0	ft.
	•	land surface:	12 in.,		Weight:	2.3	35 lb	s. / ft.	Wall t	hickness or gau	ge No.	.214	
1. Stee	TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)												
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)													
SCREEN	OR PERFO	RATION OPENING	GS ARE		,	·							
	nuous siot			5. Gauzed w	rapped		7. Tor	ch cut	9. Dri	lled holes	11. No	ne (ope	en hole)
2. Louve	ered shutte	r 4. Key p	unched	6. Wire wrap	pped	(8. Sa v	w cut	10. Ot	her (specify)			
SCREEN	DERECRA	TION INTERVAL		40	ft.	to	120						
JOOKEEN.	PERFORM	CHOICH INTERVAL	From From	40	ft.	to	120	ft., ft.,	From From	ft.		0	ft.
G	RAVEL PA	CK INTERVALS:	From	24	ft.	to	120	ft.,	From	ft. ft.		o o	ft. ft.
			From		ft.	to	120	ft.,	From	ft.		0	ft.
6 GROU	JT MATERI	ALS: 1 Nort		2 Cor									
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout Intervals: From ft. to ft., From ft. to ft., From 4 ft. to 24											•		
What is the nearest source of possible contamination:									110111				
15 Other Lank 4. Lateral lines											s well cify below)		
2. Sewe		5. Cess F		_	•			•	14. Aban	don water well	10. 04.	o. (opoc	,,
	rtight sewe from well?	r line 6. Seepa North	ge pit	9. Feed ya	ira	12. 1	rerunzer	storage	How r	nany feet? 200	1		
From	То		LITHOLOG	SIC LOG		71	From	To	110111	LITHOLO		G	
0	3	topsoil											
3	26	clay				-+-							
<u>26</u> 45	45 120	medium sand grev shale											
		61.7											
						-							
						_							
						-		<u> </u>					
													-
7 Con	tractor's or	Landowner's Certifi	ication: This wa	ater well was	1. constru	ucted	2. re	constructe	or 3.	plugged	under my ju	risdictio	n and
was co	mpleted on	(mo/day/year)	12/8/202	20	and this re	cord is t	rue to the	best of my	knowledge and	belief.			
Kansas	Water Well	Contractor's Licen	se No. 236		This wa	ter well r	ecord wa	s completed	on (mo/day/ye	ear) 12/1	0/2020		
under th	he business	name of Harp	Well and P	ump Ser				gnature)		odd S	S. Ha	wh.	