

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction County: Gray NW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$	Section Number 15	Township Number T 27 S	Range Number R 30 E/W
Distance and direction from nearest town or city street address of well if located within city? From Charleston - 2½ Miles South, $\frac{1}{4}$ Mile East, 6½ Miles South, 1 Mile West, 3 Miles South, 3555 Ft. North and 4600 Ft. West					
2 WATER WELL OWNER:		Naoma Batman RR#, St. Address, Box # : 1204 Circle Drive City, State, ZIP Code : Garden City, Kansas 67846		Board of Agriculture, Division of Water Resources Application Number: 7158	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL .280 ft. ELEVATION: . Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL .127 ft. below land surface measured on mo/day/yr .10-2-92 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter .30 in. to .280 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No. X.....; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:		5 Wrought iron 1 Steel 3 RMP (SR) 2 PVC 4 ABS	8 Concrete tile 6 Asbestos-Cement 7 Fiberglass	CASING JOINTS: Glued . Clamped . Welded . X Threaded.	
Blank casing diameter		16 in. to 150 ft., Dia . in. to . ft., Dia . in. to . ft.	Casing height above land surface .12 in., weight .42.05 lbs./ft. Wall thickness or gauge No. .250		
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 2 Brass		3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 2 Louvered shutter		3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)
SCREEN-PERFORATED INTERVALS: From .150 ft. to .280 ft., From . ft. to . ft.					
From . ft. to . ft., From . ft. to . ft., From . ft. to . ft.					
GRAVEL PACK INTERVALS: From .20 ft. to .280 ft., From . ft. to . ft., From . ft. to . ft.					
From . ft. to . ft., From . ft. to . ft., From . ft. to . ft.					
6 GROUT MATERIAL:		1 Neat cement Grout Intervals: From .0 ft. to .20 ft., From . ft. to . ft., From . ft. to . ft., From . ft. to . ft.	2 Cement grout	3 Bentonite	4 Other
What is the nearest source of possible contamination:					
1 Septic tank 2 Sewer lines 3 Watertight sewer lines		4 Lateral lines 5 Cess pool 6 Seepage pit	7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) N/A
Direction from well?					
FROM	TO	LITHOLOGIC LOG		FROM	TO
See attached log					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) .11-5-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. .208 This Water Well Record was completed on (mo/day/yr) .11-20-92 under the business name of Minter-Wilson Drilling Co., Inc. by (signature) <i>Nora Keller</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					