


1 LOCATION OF WATER WELL: DRL	Fraction 1/4	Section Number 16	Township Number T 27 S	Range Number R 30 E
--------------------------------------	---------------------	--------------------------	-------------------------------	----------------------------

County: **Osage County** Distance and direction from nearest town or city street address of well if located within city?**4704 U Rd.**

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	Myrl FRAZIER Box 74 Ingalis, KS 67853	Board of Agriculture, Division of Water Resources Application Number:
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 241 ft. ELEVATION: ft. 2. ft. 3. ft.
--	--	---

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL **181** ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter **10** in. to **253** ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submittedWater Well Disinfected? Yes **X** No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	Welded
2 PVC	4 ABS	7 Fiberglass	Threaded

Blank casing diameter **5** in. to **221** ft., Dia in. to ft., Dia in. to ft.Casing height above land surface **16** in., weight **200** lbs./ft. Wall thickness or gauge No. **7**

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	8 RMP (SR)
2 Brass	4 Galvanized steel	9 ABS

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	2 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	12 None used (open hole)

SCREEN-PERFORATED INTERVALS: From **221** ft. to **241** ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From **25** ft. to **200** ft., From ft. to ft.From **221** ft. to **241** ft., From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
-------------------	---------------	----------------	-------------	---------------

Grout Intervals: From **5** ft. to **30** ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)

How many feet? **100 ft 5**

Direction from well?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8	Top Soil			
8	13	Clay	247	253	Yellow & clay
13	21	Brown Sandy clay			
21	74	Fine to med Sand & gravel			
74	91	Cyanic gravel			
91	100	Brown Sandy clay			
100	114	Fine to med Sand & gravel			
114	125	Brown Sandy clay			
125	130	Fine to med Sand & gravel			
130	141	Brown Sandy clay			
141	164	Fine to med Sand & gravel			
164	221	Brown clay			
221	230	Brown Sandy clay			
230	247	Fine to med Sand & gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **1** constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **3-6-09** and this record is true to the best of my knowledge and belief. KansasWater Well Contractor's License No. **172** This Water Well Record was completed on (mo/day/yr) **6-25-10**under the business name of **Jones and Weller Well Service** by (signature) **mej**