

WATER WELL RI		VV VV C-3	31304		ion of Water		W 11 ID	
		ge in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1
		Fraction		Section Number		Township Numb		ige Number
County:		1/4 1/4	. D	1 4 1 1 1	T S	R	□E □W	
2 WELL OWNER: Las Business:	st Name:	First:		Street or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest to will of intersection). If at a winer is address, enter interest					ineck nere:		
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	PI FTFD WFI I	•	ft	5 Letitud	e:		(daaimal daamaa)
WITH "X" IN	Depth(s) Groundwater I							
SECTION BOX:		3) ft., or 4						
N	WELL'S STATIC WA							
	☐ below land surface,				☐ GPS (unit make/model:			
NW NE	□ above land surface,	, measured on (mo-da	ay-yr)					
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map			
W E		s pumping			☐ Onli	ne Mapper:		
SW   SE		vater was						
	Estimated Yield:	s pumping	gpiii	n 6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:		ft. and			☐ Land Survey ☐		
1 mile		in. to						
7 WELL WATER TO	BE USED AS:							
1. Domestic:		ter Supply: well ID .			10. □ Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells?				e: well ID		
☐ Lawn & Garden		echarge: well ID						
Livestock		g: well ID				mal: how many bore		
2. Irrigation		al Remediation: well				ed Loop    Horizon		
3. Feedlot	☐ Air Sparge		or Extraction	1		Loop Surface D		
4. Industrial	Recovery					(specify):		
Was a chemical/bacteri		nitted to KDHE? [	☐ Yes ☐	No ]	If yes, date sa	ample was submitte	ed:	
Water well disinfected?								
8 TYPE OF CASING I								
Casing diameter								
Casing height above land su			1bs	s./It.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR  ☐ Steel ☐ Stainl	less Steel		1		□ Oth on	(Specify)		
	nized Steel	_	e used (oper	n hole)		(Specify)		• • • • • • • • • • • • • • • • • • • •
SCREEN OR PERFORA			c used (open	ii iioic)				
			Torch Cut	□ Dri	lled Holes	Other (Specify)		
Louvered Shutter	☐ Key Punched ☐ W	ire Wrapped	Saw Cut	☐ No	ne (Open Hole	e)		
SCREEN-PERFORATE	D INTERVALS: From	n ft. to	ft., F1	rom	ft. to	ft., From	ft. to	ft.
GRAVEL PAC	K INTERVALS: From	n ft. to	ft., F	rom	ft. to	ft., From	ft. to	ft.
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From		ft., From	ft. to		ft., From	ft. to	ft.	
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
□ Sewer Lines     □ Cess Pool     □ Sewage Lagoon     □ Fuel Storage     □ Abandoned Water Well       □ Watertight Sewer Lines     □ Seepage Pit     □ Feedyard     □ Fertilizer Storage     □ Oil Well/Gas Well								
Other (Specify)								
Direction from well?		Distance from	well?			ft		
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		G INTERVALS
							·	
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged								
II CONTRACTOR'S	UK LANDUWNER'S	S CERTIFICATI(	JN: This	water v	well was 🔲 (	constructed, $\sqsubseteq$ reco	onstructed,	or □ plugged
under my jurisdiction and was completed on (mo-day-year)								
under the business name	of	11118 \	,, atc. WEL		ia was comp	uay-y	····	
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Ron Good
Doc ID	1131964

## Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	23	SILTY CLAYEY SAND
23	45	FINE SAND & CLAY
45	90	CLAY W/ FINE SAND BROWN & GREEN CLAY
90	143	MED TO COARSE LOOSE SAND
143	163	SOFT BROWN CLAY W/ SAND STREAKERS
163	175	MED LOOSE SAND
175	185	BROWN SANDY CLAY
185	215	MED SAND FAIRLY LOOSE W/ CLAY STREAKERS
215	256	BROWN & WHITE CLAY FINE SAND
256	265	FINE SAND W/ CLAY
265	298	FINE TO MED FINE SAND
298	303	LOOSE MED FINE TO MED SAND
303	325	MED COARSE TO COARSE SAND
325	339	COARSE SAND & PEA GRAVEL
339	354	TIGHT FINE TO MED SAND W/ CLAY
354	358	YELLOW & BROWN CLAY W/ BROWN CLAY

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Ron Good
Doc ID	1131964

## Litholgy

From	То	LithologicLog
358		BROWN CLAYSTONE & GRAY CLAY
375		BROWN CLAY STONE & SHALE