	•		WATER	WELL RECORD	Form WWC-5		-1212			
LOCATION OF WATER WELL: County: Haskell			Fraction 1/4	NW 1/4	NW 1/4	tion Number	Township Nu		Range R	Number 31 E/W
		from nearest town o	•	dress of well if locat		10 mi	leS South o			
MATER			·	n						
•	WELL OW	NEH: 318WB	on Drilli	ng co.						
RR#, St. Ad			T 7 77	(7500				•		ater Resources
City, State,				nsas 675 9 0	190		Application			
AN "X" IN	WELL'S LO N SECTION	BOX: De	pth(s) Groundw	MPLETED WELL rater Encountered	1	ft. 2	2	ft. 3		
1 1	X 	WE		WATER LEVEL test data: Well wa						
	1411 1	Est) gpm: Well wa						
• L	_ i	Bo	re Hole Diamet	er8in. to	,)ft., :	and	in.	to	
* w	1	ı "WE	ELL WATER TO	BE USED AS:	5 Public water	r supply	8 Air conditioning	11	Injection well	
-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	.	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specif	y below)
	- SW	36	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Observation we	11		
	_ i		as a chemical/ba	acteriological sample	submitted to De	•	esNoXX	-	mo/day/yr sa No	mple was sub-
TYPE OF	BLANK C	ASING USED:		5 Wrought iron	8 Concre		CASING JOI			nped
1 Stee		3 RMP (SR)		6 Asbestos-Cement		(specify below				
2 PVC		4 ABS		7 Fiberglass			•,			
			to 180	ft., Dia						
				n., weight						
		R PERFORATION M		in, weight	<u>7 PV</u>			estos-ceme		· · · · · · · · · · · · · · · · · · ·
				F Fiberaless						
1 Stee		3 Stainless ste		5 Fiberglass		IP (SR)				
2 Bras	-	4 Galvanized		6 Concrete tile	9 AB	5		e used (op		nen hole)
		RATION OPENINGS			zed wrapped		8 Saw cut		11 None (o	pen hole)
	tinuous slo				wrapped		9 Drilled holes			
	vered shutt	, ,		7 Toro			10 Other (specify			
SCREEN-PE	ERFORATE	D INTERVALS:		<u>40</u> ft. to .						
GF	RAVEL PAG	CK INTERVALS:	From 10	ft. to .	180	ft., From	m	ft. to	D	
			From	ft. to			m		0	
GROUT	MATERIAL	: 1 Neat cem	ent 2	Cement grout	3 Be nto		Other			
Grout Interva	als: Fror	n 0 ft. [.]	to 10	ft., From	ft.	to	ft., From	. .	ft. to	
		urce of possible con		ione			tock pens		bandoned wa	
1 Sept	tic tank	4 Lateral li	nes	7 Pit privy		11 Fuel	storage	15 O	il well/Gas w	eli
	2 Sewer lines 5 Cess po			8 Sewage la		12 Fertilizer storag				
		er lines 6 Seepage		9 Feedyard	-		ticide storage			below)
Direction fro	•			,		How ma	•			
FROM	TO		LITHOLOGIC L	OG	FROM	TO		LITHOLOG	IC LOG	
0	15	Topsoil &								
15	30	Gray clay								
30	60		d & brown	clay layers						
.60	150	Coarse san								
150	180			clay layers						
	100	Anarae sall	C BILOWII	OTON TONGTH						
		M.O. A.R.A.								
CONTRA	ACTOR'S	R LANDOWNER'S	CERTIFICATIO	N: This water well	was (1) constru	cted, (2) reco	enstructed, or (3) p	lugged und	ler my jurisdi	ction and was
		s License No		This Water \					_	
				, Inc. Cima						
				PRESS FIRMLY a						vers. Send top
				ent, Division of Enviro						
		e for your records.								