


USE PEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Haskell	Fraction SW NE SE 1/4 NW 1/4 SW 1/4	Section number 32	Township number T 27 S	Range number R 31 E W
2. Distance and direction from nearest town or city: South from Garden City on Hiway 83 to 22 mile road, 7 1/2 East, Street address of well location if in city: 50 feet North.			3. Owner of well: Hutchinson National Bank c/o Charles Perrier Box 1298 Dodge City, Kansas 67801		
4. Locate with "X" in section below: Sketch map: 			6. Bore hole dia. <u>26</u> in. Completion date <u>10-20-75</u> Well depth <u>160</u> ft.		
5. Type and color of material			From	To	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary
					8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
					9. Casing: Material <u>Steel</u> Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>36.87</u> lbs./ft. Dia. <u>16</u> in. to <u>161</u> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gauge No. <u>250 MKC</u>
					10. Screen: Manufacturer's name <u>No Screen</u> <u>Used</u> Type <input type="checkbox"/> Dia. <input type="checkbox"/> Slot/gauze <input type="checkbox"/> Length <u>220'</u> Set between <input type="checkbox"/> ft. and <input type="checkbox"/> ft. <u>Perf: 200-270 ft. and 310-160 ft.</u> Gravel pack? <u>yes</u> Size range of material <u>3/8" Down</u>
					11. Static water level: <u>171</u> ft. below land surface Date <u>10-2-75</u> mo./day/yr.
					12. Pumping level below land surfaces: <u>188</u> ft. after <u>2</u> hrs. pumping <u>726</u> g.p.m. <u>199</u> ft. after <u>4</u> hrs. pumping <u>1280</u> g.p.m. Estimated maximum yield <u>1250</u> g.p.m.
					13. Water sample submitted: <u>No</u> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <u> </u>
					14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> Inches above grade
					15. Well grouted? <u>Yes</u> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.
					16. Nearest source of possible contamination: ft. <u> </u> Direction <u> </u> Type <u>N/A</u> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
					17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <u>Goulds - US Pump</u> Model number <u> </u> HP <u>200</u> Volts <u> </u> Length of drop pipe <u>260</u> ft. capacity <u>1250</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
(Use a second sheet if needed)					
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Minter-Wilson Drilling</u> 208 Business name License No. Address <u>Box A, Garden City, KS</u> Signed <u> </u> Date <u>3-23-79</u> Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley					

27 31 E
 T
 R
 Sec
 1/4 1/4
 SW

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

The Professionals

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Hutchinson National Bank
Haskell County
2-17-75

Location: S 22-27-21 from Garden City to CR mill road,
7 1/2 miles East, 50 ft. North

Test # 1

0	3	Top Soil
3	11	Brown Clay
11	109	Brown Sandy Clay
109	205	Fine to Med. Sand & Gravel (Loose)
205	310	Gray Clay, Small Streaks fine to Med. Sand & Gravel (Tight)
310	370	Fine to Med. Sand & Gravel (Loose)
370	379	Fine to Med. Sand & Gravel, Streaks of Clay(10%)
379	395	Fine to Med. Sand & Gravel (Loose)
395	427	Fine to Med. Sand & Gravel, Streaks of Clay(10%)
427	445	Fine to Med. Sand & Gravel (Loose)
445	460	Fine to Med. Sand & Gravel, Streaks of Clay(10%) (Tight)
460	485	Gray & Brown Sandy Clay (Tight)
485	490	Gray & Yellow Clay (Tight)

TD 460'