


1 LOCATION OF WATER WELL: Fraction NW 1/4 NE 1/4 Section Number 33 Township Number T 27 S Range Number R 31 E/W

Distance and direction from nearest town or city street address of well if located within city?  
 From Sublette East Side - 6 1/2 Miles NE on Hwy. 56, 10-1/8 Miles North, 1/2 Mile East & 150 Ft. South

2 WATER WELL OWNER: Lena Wedel  
 RR#, St. Address, Box #: Route 1 - Box 61A Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Copeland, Kansas 67837 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  DEPTH OF COMPLETED WELL: 360 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. . . . . ft. 2. . . . . ft. 3. . . . . ft.  
 WELL'S STATIC WATER LEVEL: 200 ft. below land surface measured on mo/day/yr 11-2-88  
 Pump test data: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm  
 Est. Yield . . . . . gpm: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm  
 Bore Hole Diameter: 10-5/8 in. to 360 ft., and . . . . . in. to . . . . . ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes. . . . . No. X . . . . .; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . . . X . . . Clamped . . .  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . . . . .  
 7 Fiberglass . . . . . Threaded . . . . .  
 Blank casing diameter: 6 in. to 260 ft., Dia. 6 in. to 340 ft., Dia . . . . . in. to . . . . . ft.  
 Casing height above land surface: 12 in., weight . . . . . lbs./ft. Wall thickness or gauge No. . . . .  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) . . . . .  
 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 SCREEN-PERFORATED INTERVALS: From 260 ft. to 280 ft., From 340 ft. to 360 ft.  
 GRAVEL PACK INTERVALS: From 20 ft. to 360 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other . . . . .  
 Grout Intervals: From 0 ft. to 20 ft., From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) NA  
 13 Insecticide storage  
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		See attached log			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-14-88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/yr) 2-17-89 under the business name of Minter-Wilson Drilling Co., Inc. by (signature) Nora Keller

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.

*The Professionals*

# MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation  
and Domestic  
Water Systems  
Complete Installation  
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

Delton Wedel  
Haskell County  
11-2-88

Location: NE $\frac{1}{4}$  33-27-31  
South of Garden City on 83 to the 22 Mile  
Road - 8 E., 1 N.,  $\frac{1}{4}$  E. & 150' So.

Static Water Level - 200'

## Test #1

0 2 Top soil  
2 20 Brown sandy clay  
20 35 Fine sand & mixed brown clay  
35 95 Fine sand  
95 115 Fine sand - 15% clay  
115 132 Fine to medium sand & gravel - tight  
132 187 Fine to medium sand & gravel  
187 218 Fine to medium sand & gravel - hard  
218 284 Fine to medium sand & gravel - small strip  
clay - tight  
284 287 Brown clay  
287 291 Cemented sand stone - hard  
291 308 Brown sandy clay  
308 330 Blue clay  
330 335 Fine to medium sand  
335 358 Brown sandy clay - small sand streak  
358 398 Brown sandy clay-white rock mixed - hard  
398 403 Brown sandy clay - hard  
403 410 Brown yellow clay mixed

10-5/8" Hole w/6" PVC Casing

260' Plain  
20' Perf.  
60' Plain  
20' Perf.