

WATER WELL R		VV VV C-3	71040		ion of Water		W 11 ID	
		e in Well Use	1		rces App. No.	T 1: N 1	Well ID	NY 1
		Fraction	1/ 1/	Section	on Number	Township Numb		ige Number
County:		1/4 1/4	D	1 A 1 1 1	T S	R	□E □W	
				Street or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest town or intersection): If at owner's address, check here:							
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	IPI FTFD WFI I	•	ft	5 Letitud	e:		(daaimal daamaa)
WITH "X" IN				11.				
SECTION BOX:	BOX: Depth(s) Groundwater Encountered: 1)							
	WELL'S STATIC WA			Source for Latitude/Longitude:				
X	below land surface				GPS (unit make/model:			)
NW   NE	above land surface,			• • • • • •	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
	Pump test data: Well w							
W E		s pumpingvater was				ne Mapper:		
SW   SE		s pumping						
	Estimated Yield:		81	<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:		ft. and					
mile		in. to	ft.			Other	• • • • • • • • • • • • • • • • • • • •	
7 WELL WATER TO								
1. Domestic:		ter Supply: well ID.				ield Water Supply: 1		
Household		g: how many wells?				e: well ID		
☐ Lawn & Garden ☐ Livestock		echarge: well ID g: well ID				d Uncased mal: how many bore		
2. ☐ Irrigation								
3. ☐ Feedlot								
4. ☐ Industrial	☐ Recovery					(specify):		
Was a chemical/bacter	iological sample subm	nitted to KDHE? [	∃Yes □	No I		ample was submitte		
Water well disinfected?		itted to HEHE.	_ 105	110 1	ir jes, aace s	impre was saomice	,	
8 TYPE OF CASING		C □ Other	C	ASINO	G JOINTS: 1	☐ Glued ☐ Clampe	d □ Welded	d □ Threaded
Casing diameter								
Casing height above land s						ss or gauge No		
TYPE OF SCREEN OR	PERFORATION MA	TERIAL:						
	less Steel				☐ Other	(Specify)		
	anized Steel Conc		e used (open	hole)				
SCREEN OR PERFORA			T. 1.C.			704 (G :C)		
	☐ Mill Slot ☐ Ga ☐ Key Punched ☐ W				ne (Open Hole	Other (Specify)		•••••
SCREEN-PERFORATE	D INTERVALS. From	ft to	3aw Cui ft Fr	Om	ft to	ft From	ft to	ft
SCREEN-PERFORATED INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
	☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well					Well		
□ Watertight Sewer Lines     □ Seepage Pit     □ Feedyard     □ Fertilizer Storage     □ Oil Well/Gas Well       □ Other (Specify)								
Direction from well? ft.								
10 FROM TO	LITHOLOG		FROI			THO. LOG (cont.) o		GINTERVALS
					-			-
							-	
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged								
II CONTRACTOR'S	d was completed on (m	S CERTIFICATION OF THE STATE OF	JN: This v	vater v	well was 🔲 (	constructed, $\  \  \  \  \  \  \  \  \  \  \  \  \ $	onstructed,	or $\square$ plugged
under my jurisdiction an Kansas Water Well Con	u was completed on (m tractor's License No	io-day-year) This V		anu tn Reco	ns record is t	iue to the best of m leted on (mo-day v	ıy Kilowiedş rear)	ge and bellet.
under the business name	of	1 1115 V				·····		
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	LONNIE NICHOLS
Doc ID	1091646

## Litholgy

From	То	LithologicLog
0	2	surface
2	21	brown sandy clay, caliche, few sand
21	40	fine sand, clay, few caliche
40	98	sand fine to med coarse, sm to lg gravel, few ledges
98	115	sand fine to med, clay
115	181	sand fine to mead , sm gravel, few clay
181	229	Blue clay, fine sand, limerock ledges
229	240	sand fine to med few sm gravel
240	249	Sand fine to med few coarse`
249	285	sand fine to med , few sm gravel
285	310	sand fine to med,few cemented places
310	320	brown clay
320	347	sand fine , clay strings
347	411	brown white clay, limerock, few snad streaks
411	420	sandstone, soapstone
420	460	soapstone, sandstone
460	483	sandstone, soapstone fairly loose
483	506	gray soapstone, few shale, white soapstone

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	LONNIE NICHOLS
Doc ID	1091646

## Litholgy

From	То	LithologicLog
506		gray and red soapstone, few limestone
525	571	sandstone few soapstone
571	585	shale