

Well ID

1 LOCATION OF WATER WELL: County: Haskell	Fraction NW ¼ SW ¼ SW ¼ SW ¼	Section Number 2	Township Number T 27 S	Range Number R 31 <input type="checkbox"/> E <input checked="" type="checkbox"/> W
---	---------------------------------	---------------------	---------------------------	---

2	WELL OWNER: Last Name: Martins		First: Henry
	Business:		
	Address: 2302 Road 20		
	Address:		
	City: Copeland	State: KS	ZIP: 67837

Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: ☒

**3 LOCATE WELL
WITH "X" IN
SECTION BOX:**
N

4 DEPTH OF COMPLETED WELL: 500 ft.
 Depth(s) Groundwater Encountered: 1) 237 ft.
 2) ft. 3) ft., or 4) ☐ Dry Well
WELL'S STATIC WATER LEVEL: 237 ft.
☒ below land surface, measured on (mo-day-yr) 12/23/2019
☐ above land surface, measured on (mo-day-yr)
 Pump test data: Well water was ft.
 after hours pumping gpm
 Well water was ft.
 after hours pumping gpm
 Estimated Yield: gpm
 Bore Hole Diameter: 10 in. to 500 ft. and
 in. to ft.

5 Latitude:37.72277.....(decimal degrees)
Longitude:100.68796.....(decimal degrees)
Datum: ☐ WGS 84 ☐ NAD 83 ☒ NAD 27
Source for Latitude/Longitude:
☐ GPS (unit make/model:)
 (WAAS enabled? ☐ Yes ☐ No)
☐ Land Survey ☐ Topographic Map
☐ Online Mapper:

6 Elevation: 2811 ft. ☒ Ground Level ☐ TOC
Source: ☐ Land Survey ☐ GPS ☐ Topographic Map
☒ Other KOLAR

7 WELL WATER TO BE USED AS:

1. Domestic:
☒ Household
☐ Lawn & Garden
☐ Livestock
2. ☐ Irrigation
3. ☐ Feedlot
4. ☐ Industrial
5. ☐ Public Water Supply: well ID
6. ☐ Dewatering: how many wells?
7. ☐ Aquifer Recharge: well ID
8. ☐ Monitoring: well ID
9. Environmental Remediation: well ID
- ☐ Air Sparge ☐ Soil Vapor Extraction
☐ Recovery ☐ Injection
10. ☐ Oil Field Water Supply: lease
11. Test Hole: well ID
- ☐ Cased ☐ Uncased ☐ Geotechnical
12. Geothermal: how many bores?
- a) ☐ Closed Loop ☐ Horizontal ☐ Vertical
 b) ☐ Open Loop ☐ Surface Discharge ☐ Inj. of Water
13. ☐ Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☒ No If yes, date sample was submitted:

Water well disinfected? ☒ Yes ☐ No

8 TYPE OF CASING USED: ☐ Steel ☒ PVC ☐ Other CASING JOINTS: ☒ Glued ☐ Clamped ☐ Welded ☐ Threaded
Casing diameter 5 in. to 500 ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface 12 in. Weight lbs./ft. Wall thickness or gauge No. SDR12

TYPE OF SCREEN OR PERFORATION MATERIAL:

☐ Steel ☐ Stainless Steel ☒ PVC ☐ Other (Specify)
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

☐ Continuous Slot ☒ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 420 ft. to 500 ft., From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 24 ft. to 500 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☒ Bentonite ☐ Other
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.

Nearest source of possible contamination: ✓ No potential source of contamination within 200 ft.

☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well
☐ Other (Specify)

Direction from well? Distance from well? ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
Attached	Attached	Attached			

[illegible]

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo-day-year) 12/23/2019..... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 533..... This Water Well Record was completed on (mo-day-year) 3/12/2020..... under the business name of Jantzen Water Well.....

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.

Visit us at <http://www.kdheks.gov/waterwell/index.html>

KSA 82a-1212

Haskell Co

NW SW SW SW

2-21-31W

Form	WWC5
Contractor	Jantzen Water Well
Well Owner	Henry Martins
Doc ID	1509852

Lithology

0	50	Brown clay
50	95	Course sand
95	120	Tan sandy clay
120	128	Course sand
128	138	Medium sand
138	170	Tan sandy clay
170	200	Tan clay
200	207	Medium sand
207	224	Tan sandy clay
224	229	Course sand
229	242	Tan sandy clay
242	304	Medium sand & tan sandy clay
304	342	Medium sand
342	380	Medium sand & tan clay layers
380	381	Ochre
381	385	Fine sand
385	395	Shale
395	410	Sandstone
410	420	Shale
420	428	Sandstone (loose)
428	445	Shale
445	447	Sandstone (loose)

(Continued)

Haskell Co

NW SW SW SW

2-21-21

Form	WWC5
Contractor	Jantzen Water Well
Well Owner	Henry Martins
Doc ID	1509852

Lithology

447	472	Shale
472	474	Sandstone
474	482	Shale
482	500	Sandstone (loose)