


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County HASKELL	Fraction NW 1/4 SE 1/4 NE 1/4	Section number 1	Township number T 27 S R 32	Range number EW
2. Distance and direction from nearest town or city: 2 south of Chaney		3. Owner of well: Ben Tempero			
11 studs on Hiway 83 south of Garden city,		R.R. or street: Rt. 2			
5 east 1 south 3/8 east 3/8 north		City, state, zip code: Hoisington, Ks. 67544			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 5-31-76 Well depth 453 ft.	
				7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
5. Type and color of material		From	To	8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
				9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 454 ft. depth Wall Thickness: inches or Dia. 16 in. to 454 ft. depth gage No. 219	
				10. Screen: Manufacturer's name Johnson Division Type Galv. Dia. 16" Slot/gauze 100 Length 20' Set between 300 ft. and 320 ft. Perf. 260-300 ft. and 320-453 ft. Gravel pack? yes Size range of material 3/8" Down	
				11. Static water level: 108 ft. below land surface Date 5-12-76 mo./day/yr.	
				12. Pumping level below land surfaces: 186 ft. after 3 hrs. pumping 1950 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 1950 g.p.m.	
				13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 5-12-76 mo./day/yr.	
				14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: N/A ft. Direction Type Well disinfected upon completion? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
				17. Pump: Not installed Manufacturer's name Peerless Pumps Inc Model number 1111C HP 200 Volts 200 Length of drop pipe 220 ft. capacity 1200 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
		(Use a second sheet if needed)			
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling Co Business name P.O. Box A Garden City, Ks Address 8-12-76 Signature Authorized representative Date		
Topography: <input checked="" type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

Professionals

MINTER-WILSON DRILLING CO. Complete Installation
and Repairing
INCORPORATED

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

DON LEAR (TENANT)
BEN TEMPERO (OWNER)
HASKELL COUNTY
3-5-76

LOCATION: NW $\frac{1}{4}$ 1-27-32
1 Mile East Of House, 1 Mile South, $\frac{1}{2}$
East, $\frac{1}{2}$ South

STATIC WATER LEVEL:

TEST #2

0	1	Top Soil
1	46	Brown Clay
46	91	Med. To Coarse Gravel (Loose)
91	95	Brown Clay
95	110	Brown Clay (30%) Gravel
110	142	Fine To Med. Sand & Gravel (Loose)
142	155	Brown & Blue Clay
155	257	Blue Clay
257	320	Fine To Med. Sand & Gravel (Loose)
320	335	Fine To Med. Sand & Gravel (10%) Clay(Loose)
335	347	Brown Sandy Clay
347	365	Fine To Med. Sand & Gravel (10%) Clay(Loose)
365	422	Brown Clay
422	435	Fine To Med. Sand & Fine Gravel (15%) Clay (Loose)
435	440	Brown & Gray Clay
440	453	Fine To Med. Sand & Gravel (Loose)
453	460	Brown, Gray & Yellow Clay (Hard)