		WATER WELL RECORD	Form WWC-5	KSA 82a-12	12	
1 LOCATION OF WATER W	ELL Fraction		Section	Number	Township Number	Range Number
County: Haskell	SE	1/4 SE 1/4 M E	1/4 14		T 27 S	R 32 E
Distance and direction from r	nearest town or city?	Approx. 3 miles	Street address	of well if loc	ated within city?	
East & 14½ miles 2 WATER WELL OWNER:	North of Sub	lette, KS				
RR#, St. Address, Box #	John Koel				Board of Agriculture,	Division of Water Resources
City, State, ZIP Code		, KS 67877			Application Number:	31,916
3 DEPTH OF COMPLETED	WELL 568	ft. Bore Hole Diameter 3	26 in. to .		. ft., and	in. to ft.
Well Water to be used as:		vater supply			11 Injection wel	
1 Domestic 3 Feedlot	6 Oil field	water supply	9 Dewatering		12 Other (Speci	fy below)
		nd garden only				
Well's static water level		w land surface measured on .				
Pump Test Data Est. Yield		was218 ft. after . was ft. after			ours pumping 1.38 ours pumping	
4 TYPE OF BLANK CASIN						d Clamped
		6 Asbestos-Cement	9 Other (spe	cify below)	Weld	ded X
2 PVC	4 ABS					aded
Blank casing dia 16	in. to	5.6.8 ft., Dia				in. to ft.
Casing height above land sur	rface 16	in., weight4	12.05	lbs./ft.	Wall thickness or gauge	No 250
TYPE OF SCREEN OR PER	FORATION MATERIA	AL:	7 PVC		10 Asbestos-cem	ent
	3 Stainless steel	5 Fiberglass		SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		12 None used (or	pen hole)
Screen or Perforation Opening	ngs Are:	5 Gauze	d wrapped	8	3 Saw cut	11 None (open hole)
	3 Mill slot		vrapped	9	Drilled holes	
	4 Key punched				· • • • • • • • • • • • • • • • • • • •	
Screen-Perforation Dia]		.568 ft., Dia				
Screen-Perforated Intervals:		7 ft. to 315–33				
		ft. to				
Gravel Pack Intervals:						
S CROUT MATERIAL.	From	ft. to 2 Cement grout				ft.
5 GROUT MATERIAL:		. 1.0 ft., From				
		tion: None Observed				Abandoned water well
1 Septic tank	4 Cess pool	7 Sewage lago			-	Dil well/Gas well
2 Sewer lines		8 Feed yard				Other (specify below)
3 Lateral lines				40.144		
1	' '	9 Livestock per		_		
		to Department? Yes				
		day				
If Yes: Pump Manufacturer's	name		Model No		HP	Volts
		ft.				
Type of pump:	1 Submersible	2 Turbine	3 Jet	4 Centrifu	gal 5 Reciprocation	ng 6 Other
		FICATION: This water well w				
completed on	5	month 9		day	1.920	year
		je and belief. Kansas Water W				
1		November m		da	ay 1980	year under the business
name of Henkle Dril	lling & Suppl		by (signature)	1		
LOCATE WELL'S LOCAT	TION FROM T			FROM		LITHOLOGIC LOG
BOX:	JN	See Attached	Log			
N						Ad a change and common of the
1				1	1	
NW NE				1		The state of the s
<u>•</u> ; x	_					
W I	t	1				114
SW SE						The second secon
S						
ELEVATION:		* 100				
	intered 1	ft. 2 ft. 3	ft 4	ft	(Use a second sl	heet if needed)
INSTRUCTIONS: Use typewi	riter or ball point pen.	please press firmly and PRINT	clearly. Please fil	l in blanks, i	underline or circle the corre	ect answers. Send top three
copies to Kansas Department retain one for your records.	of Health and Environ	ment, Division of Environment,	Water Well Contra	ctors, Topek	ta, KS 66620. Send one to	WATER WELL OWNER and

DRILLERS TEST LOG

CUSTOMERS NAME _	John Koehn	DATE 10/31/78
STREET ADDRESS _		TEST # 2 E. LOG Yes
	Sublette, Kansas	DRILLER Rector
COUNTY Haskell	QUARTER NE SECTION 14 TO	WISHIP 27 RANGE 32
TOCATTON 600	ft North of the SE corner of	the 4.

%	FOOTAGE			Static Water Level
	From Pay To			DESCRIPTION OF STRATA Proposed Well Depth
	ol		2	Top Soil
	2	, , , , , ,	20	Brown sandy clay
	20		33	Sand
	33		40	Brown sandy clay and sand.
	40		85	Sand fine to med coarse and small gravel.
	85		97	Brown clay
	97		135	Sand fine to med coarse and small gravel.
	135		140	Brown clay
	140	7.1.	145	Sand
	145		155	Blue sandy clay and sand.
	155		240	Blue clay - murky & sticky.
45	240	19	259	Blue sand and gravel. Loose - used water.
65	259	38	297	Sand fine to med coarse and small to med size
				gravel. Loose - used alot of water.
, ,	297		315	Brown clay and limerock.
45	315	19	334	Sand fine to med coarse and small gravel with a
				little clay mixed in.
	334		355	Brown clay and limerock.
40	355	5	360	Very fine sand to med coarse.
	360		405	Brown clay, limerock and sand sts.
45	405	15	420	Brown clay, limerock, brown sandstone and tan rock
				Used water.
Fair	420	20	440	Brown clay with sts of brown sandstone and brown
				rock.
	440		510	
Good	510	55	565	
				firm to loose - used water.
	565	1	580	Blue shale - Hard:
		1171		
		1		TOTAL DEPTH OF WELL 568
		1		Set up facing South
		1		Dig pit on the West
		-		
		-		
	 	-		
	ļ			
	-	-		

GARDEN CITY, KS Phone 276-3278 TEST HOLES * * * HENKLE DRILLING & SUPPLY CO., INC. IRRIGATION HEADQUARTERS

SUBLETTE, KS Phone 675-4311

*IRRIGATION & INDUSTRIAL WELLS * *

* * STOCK WELLS