1 LOCATION OF WATER WELL: County: Haskell Distance and direction from nearest town located within city? Hwy. 83 & 56 J	Fraction				33,374	
Distance and direction from nearest town located within city? Hwy. 83 & 56 J	NW 1/4 SE 1/4 N		ection Number 13			
located within city? Hwy. 83 & 56 J			obal Positioni	ng Systems (decimal deg	grees, min. of 4 digits)	
14 M N 6 M E. 1 M N 377	unction SW of Suble	1 -	atitude:			
14 M. N., 6 M. E., 1 M. N, 3770 Ft. N & 3,379 Ft. W.			Longitude:			
2 WATER WELL OWNER: Manford Nichols		E	Elevation:			
RR#, St. Address, Box # : 354 RR Road City, State, ZIP Code : Sublette, KS 67877		D	Datum:			
•	-		ata Collection			
	COMPLETED WELL	47.0	f	t.		
LOCATION WITH AN "X" IN Depth(s) Ground	water Engagement (1)		A (2)	A (2)	A	
SECTION BOX: WELL'S STATION						
N Pump tes	Pump test data: Well water wasft. after					
	Est. Yieldgpm: Well water wasft. after hours pumpinggpm					
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
W To Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
2)Irrigation 4	Industrial 7 Domestic	c (lawn & g	garden) 10 M	onitoring well	•••••	
SW SE Was a shamical/	bacteriological sample subm	itted to De	martment? Va	s No X	If was malday/wrs	
	nitted					
S Sample was such	intica	water	wen disinfected	. 103 110 .A.	••••	
5 TYPE OF CASING USED: 5 Wro	wight Iron & Conce	ote tile	CASI	NG IOINTS: Glued	Clamped	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 9 Other (specify below) Welded						
2 PVC 4 ABS 7 Fiberglass 5 come (speen) below 6 from 405 ft. Threaded.						
2 PVC 4 ABS 7 Fiberglass from 405 ft. Threaded. Blank casing diameter 16 in. to 265 ft., Diameter 16 in. to 440 ft., Diameter in. to 250						
Casing height above land surface	in., Weight	05 1bs	s./ft. Wall th	nickness or guage No	.250	
TYPE OF SCREEN OR PERFORATION N			_			
(1)Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)						
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From						
I	From ft. to		ft., From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cemen	t 2 Cement grout 3 Ber	tonite 4	Other			
Grout Intervals: From ft. 1	to20 ft., From	185 ft	to 245	ft., From	ft. toft.	
What is the nearest source of possible contamination:						
<u> </u>	<u> </u>	0 Livestoc		nsecticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)						
		2 Fertilize	•	Oil well/gas well N/	Ά	
Direction from well?						
FROM TO LITHOL	OGIC LOG	FROM	TO	PLUGGING INT	ERVALS	
See attache	d log					
500 000000						
		,				
		<u> </u>				
7 CONTRACTOR'S OR LANDOWNER	2'S CERTIFICATION: TH	nis water w	vell was (1) con	structed, (2) reconstruc	ted, or (3) plugged	
under my jurisdiction and was completed or	n (mo/day/year) 2-29 -	-08. and t	his record is tru	e to the best of my kno	wledge and belief.	
under my jurisdiction and was completed of Kansas Water Well Contractor's License N	n (mo/day/year) 2-29 - o 208 This Water	-08 , and t	his record is tru rd was complet	e to the best of my kno ed on (mo/day/year)	wledge and belief.	
under my jurisdiction and was completed or	n (mo/day/year) 2-29- o 208 This Water .lson Drilling Co.,	-08 . and to Well Reco	his record is tru rd was complet (signature)	te to the best of my kno ted on (mo/day/year) 'North Keller!	wledge and belief. 3-4-08	
under my jurisdiction and was completed of Kansas Water Well Contractor's License No under the business name of Minter-Wi	n (mo/day/year) 2-29- o 208 This Water 1son Drilling Co., PLEASE PRESS FIRMLY and Prironment, Bureau of Water, Geolo	Well Reco Inc • by <u>RINT</u> clearly gy Section, 1	his record is tru rd was complet (signature) . Please fill in bla 000 SW Jackson S	te to the best of my kno red on (mo/day/year) **Norweller! nks, underline or circle the country of the co	wledge and belief. 3-4-08 correct answers. Send top s 66612-1367. Telephone	
See attache	d log					

The Professionals

MINTER-WILSON DRILLING CO.

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

THE STATE OF THE S

INCORPORATED

Phone 276-8269 P.O. Box A GARDEN CITY, KANSAS 67846

Manford Nichols Haskell County 4/21/05

Location: NW 13-27-32 - South of Garden City on Hwy. 83 to Georgetown,

51 miles east & 1 mile south to pivot

- 700 ft. east

Static Water Level -

Test #2

0' to 1' - Top soil 1' to 21' - Brown clay 21' to 48' - Brown sandy clay 48' to 118' - Fine to medium sand & gravel 118' to 137' - Brown clay 137' to 246' - Blue clay 246' to 268' - Fine to medium sand & gravel 268' to 313' - Fine to medium sand & gravel - small clay streaks 313' to 345' - Brown clay 345' to 352' - Fine to medium sand & gravel 352' to 383' - Brown sandy clay 383' to 453' - Brown clay 453' to 457' - Brown rock - loose 457' to 471' - Yellow clay 471' to 510' - Shale 510' to 600' - Shale - hard pull down