	<u>R WELL</u>			Form W				r Resources; App. No.∟		
	1 LOCATION OF WATER WELL: County: Haskell			Fraction Lot	$\frac{1}{1/4}$ (NENE)	Section 6	Number	Township Number T <b>27</b> S	Range Number R <b>32</b> EW	
	Distance and direction from nearest town or city						Positioning	Systems (decimal degr		
	located within city? Jct. 83 & 56 Southwest of Sublette						Latitude:			
17 miles N., 1 mile E., 4,195 ft. N. & 1,080 ft. W. 2 WATER WELL OWNER: Jeff Gigot						Longitude:				
				•		Elevation:				
				. TV Road City, KS 678	846	Datum: Data Collection Method:				
			4 DEPTH OF CO	• -				Method:		
	CATE WEI	LL'S	4 DEPTH OF CO	MPLETED WEI	بالد	.7.9	п.			
	LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)									
	N				a: Well water wasft. after hours pumping gpm					
			Est. Yieldgpm: Well water wasft. afterhours pumpinggpm							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection w 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Spe										
w	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes									
SV										
	Sample was submitted									
S										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) WeldedXX										
Rlank casing diameter 16 in to 285 ft Diameter in to ft Diameter in to ft										
Blank casing diameter										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1) Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From <b>285</b>										
From										
GRAVEL PACK INTERVALS: From										
From										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 20 ft., From 205 ft. to 265 ft., From ft. to ft.										
Grout In	itervals:	Fro	m		om202	It. to	f	t., From	ft. toft.	
	Septic tank				10 Live	stock nens	s 13 Ins	secticide storage	16 Other (specify	
								below)		
			lines 6 Seepage p	it 9 Feedyard	12 Ferti	izer stora	ge 15 Oi	well/gas well .		
		1?	Northwest					N. & 290 ft. W		
FROM	TO		LITHOLO	GIC LOG	FRO	M TO	'	PLUGGING INTI	ERVALS	
	See attached log									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)										
under my jurisdiction and was completed on (mo/day/year)										
			ractor's License No. of <b>Minter-Wils</b>					on (mo/day/year) Hora Kellu		
INSTRUC	CTIONS: Us	se typew	riter or ball point pen.	PLEASE PRESS FIRM	LY and PRINT cle	arly. Pleas	e fill in blank	s, underline or circle the co	orrect answers. Send top	
three copi	es to Kansas	Departn	ent of Health and Enviro	nment, Bureau of Wate	er, Geology Section	n, 1000 SW	V Jackson St.,	Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										
http://www.kdneks.gov/waterwen/mdex.html.										

## MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic

INCORPORATED

Phone 276-8269

P.O. Box A

**GARDEN CITY, KANSAS 67846** 

NAME

JEFF GIGOT

COUNTY

HASKELL COUNTY

DATE

9-30-08

LOCATION:

NE 1/4 6-27-32 - SOUTH OF GARDEN CITY ON HWY. 83 TO

HASKELL CO. LINE - 3/4 OF A MILE EAST

& 1/4 OF A MILE SOUTH

- 283 FT. EAST OF EXISTING WELL

STATIC WATER LEVEL - 260 FT.

## TEST #3

0' TO 1' - TOP SOIL

1' TO 8' - BROWN SANDY CLAY

8' TO 45' - BROWN CLAY

45' TO 66' - FINE TO MEDIUM SAND & GRAVEL

66' TO 97' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

97' TO 112' - BROWN SANDY CLAY

112' TO 128' - BROWN CLAY - SMALL GRAVEL STREAKS

128' TO 147' - FINE TO MEDIUM SAND & GRAVEL

147' TO 151' - BROWN CLAY

151' TO 176' - FINE TO MEDIUM SAND & GRAVEL

176' TO 188' - BROWN CLAY

188' TO 212' - FINE TO MEDIUM SAND & GRAVEL

212' TO 218' - BROWN CLAY

218' TO 254' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY

254' TO 262' - BROWN & BLUE CLAY

262' TO 277' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY

277' TO 307' - FINE TO MEDIUM SAND & GRAVEL

307' TO 315' - BROWN CLAY

315' TO 324' - FINE TO MEDIUM SAND & GRAVEL

324' TO 360' - FINE TO MEDIUM SAND & GRAVEL WITH CLAY STREAKS

360' TO 439' - BROWN CLAY

439' TO 452' - FINE TO MEDIUM SAND & GRAVEL - SOME BROWN ROCK

452' TO 463' - YELLOW CLAY

463' TO 485' - SHALE

RECEIVED

DEC 1 0 2008

**BUREAU OF WATER**