WATER WELL RECORD	Form WWC-5		vision of Water Resources App.		
1 LOCATION OF WATER WELL: County: Haskell	Fraction	ŧ	on Number Township No.		
County: Haskell 1/4 Sw			Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here					
From Sublette. 12 mi. north on Hwg. 83, then			Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
		Flavo	Elevation: (in decimal degrees)		
3 miles east on 70 rd.		Datum	Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Tomas Perez			Collection Method:		
RR#, Street Address, Box #: HC 1 Box 23			GPS unit (Make/Model:)		
City State ZID Code			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
A CONTRACTOR OF THE CONTRACTOR	He, Ks. 67877	Est. A	<u>accuracy</u> :	□ 5-15 m, □ >15 m	
3 LOCATE WELL	ON WARRANT HAMPINAM MATERIA A	ell <	C		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 5 ECTION POV: Double (a) Complete Depth of Complete Depth					
Depth(s) Groundwater Encountered (1)					
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr					
Pump test data: Well water was					
EST. YIELDgpm. Well water wasft. after hours pumpinggpm					
W Bore Hole Diameter 9.78 in. to 455 ft., and in. to ft.					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
Other (Specify below)					
Irrigation Industrial Domestic-lawn & garden Monitoring well					
was a chemical/bacteriological sample submitted to Department?					
S If yes, mo/day/ŷr sample was submitted					
1 mile Water well disinfected? Yes \[\] No					
5 TYPE OF CASING USED: Steel X PVC Other					
CASING JOINTS: 🖫 Glued 🗌 Clamped 🔲 Welded 🔲 Threaded					
Casing diameter					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel Stainless Steel TYPVC Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From					
SUREEN-FERFURATED INTERVALS: FIOII					
From					
GRAVEL FACK INTERVALO. FIUII					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft to ft From ft From ft to ft From ft Fro					
Grout Intervals: From					
what is the hearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines					
Watertight sewer lines Seepage p		zer storage	Oil well/gas well		
Direction from well			ell 50	***************************************	
FROM TO LITHOLOG			LITHO. LOG (cont.) or P		
0 3 Tan clas	28:				
3 100 Tan Sandy clay					
" " " " " " " " " "	300	2 17900 /			
	36	77	white rock	4 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
128 142 Tan Sordy clay					
142 200 Course formed		4 390	med to Course	-	
200 220 Tan Sandy Clay	37	0 465	Fine to med. So	ard	
120 265 Med Sand					
265 276 Blue clay					
270 282 Med. Sand					
282 285 Blue clay					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) // and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) [1] 26./12.					
under the business name of					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the corrections. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suize 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					