

1 LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 NE 1/4 Section Number 6 Township Number T 27 S Range Number R 32 EW
County: HASKELL 041

Distance and direction from nearest town or city street address of well if located within city?

FROM SUBLETTE 56 & 83 JCT. 18 NORTH, 1 EAST, SOUTH INTO LOC.

2 WATER WELL OWNER: MINTER WILSON

RR#, St. Address, Box # : W. HWY 50

Board of Agriculture, Division of Water Resources

City, State, ZIP Code : GARDEN CITY, KS 67846

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 360 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. 210 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 210 ft. below land surface measured on mo/day/yr 7-1-94

Pump test data: Well water was 220 ft. after 1 hours pumping 80 gpm

Est. Yield 80 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 9 1/2 in. to 360 ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued X Clamped

1 Steel

3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

Welded

2 PVC

4 ABS

7 Fiberglass

Threaded

Blank casing diameter 5 in. to 360 ft. Dia. in. to ft. Dia. in. to ft.

Casing height above land surface 24 in., weight 2.902 lbs./ft. Wall thickness or gauge No. .265 SDR 21

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

8 RMP (SR)

10 Asbestos-cement

2 Brass

4 Galvanized steel

6 Concrete tile

9 ABS

11 Other (specify)

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

2 Louvered shutter

4 Key punched

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 300 ft. to 360 ft. From ft. to ft.

From ft. to ft. From ft. to ft.

GRAVEL PACK INTERVALS: From 280 ft. to 360 ft. From ft. to ft.

From ft. to ft. From ft. to ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

HOLE PLUG

Grout Intervals: From 20 ft. to ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

Direction from well?

How many feet?

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|-----|------------------------|------|-----|--------------------|
| 0 | 2 | CLAY | 223 | 250 | SAND |
| 2 | 8 | SANDY CLAY | 250 | 253 | CLAY |
| 8 | 43 | CLAY | 253 | 261 | MED. GRAVEL |
| 43 | 46 | SANDY CLAY | 261 | 268 | CLAY |
| 46 | 84 | SAND | 268 | 291 | COARSE SAND |
| 84 | 87 | COARSE SAND | 291 | 296 | SAND |
| 87 | 94 | MED. GRAVEL & CLAY MIX | 296 | 312 | CLAY |
| 94 | 129 | COARSE SAND | 312 | 360 | COARSE SAND |
| 129 | 136 | SANDY CLAY | | | |
| 136 | 154 | COARSE SAND | | | |
| 154 | 163 | CLAY | | | |
| 163 | 176 | SANDY CLAY | | | |
| 176 | 211 | SAND | | | |
| 211 | 216 | COARSE SAND | | | |
| 216 | 223 | BLACK & BLUE CLAY | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-1-94 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. KWWCL-430 This Water Well Record was completed on (mo/day/yr) 7-1-94

under the business name of HOWARD DRUG CO. BOX 806 BEAVER, OK 73932 by (signature) [Signature]