WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

				Т			<u> </u>	
. Location of well:	County	Fraction	Fraction		per	Township number	Range number	
,	Haskell	NE 1/4 NE 1/4 N	W 1/4	/4 21		т 27 s	R 33	E.W
Distance and dire	ction from nearest town or city:	act of Cublett	3. Owi	ner of well:	Rus	ssell Kells		
treet address of well	I location if in city:	est of Sublett Kansas						
			City, s	tate, zip code:	Sat	tanta, Kansa	<u>s</u>	
. Locate with "X" i		Sketch map:				6. Bore hole dia. 26 in Well depth 539 ft.	7/12/79	,
I X	· · · · · · · · · · · · · · · · · · ·				⊢	7 Cable tool Rotary		
NW	NF					Hollow rod Jetted		- 1
	1					8. Use: Domestic F		
w i	E E					X Irrigation A	Air conditioning S	tock
SW	SE				-	Lawn C 9. Casing: Material Ste	Oil field water C	
						y. Casing: Material S.L.E Threaded Welded X		
S					- 1	RMP PVC	Weight <u>42.0</u>)5 lbs./ft.
1 M	ile ———					Dia. 16 in. t 539 ft. de		
. Type and color of		TACHMENT		From T	· -	Dia in. to ft. de 10. Screen: Manufacturer's		.30
	DHA A.	TACHMAIL			╡.	W.A. Brow		
						Type Louver		
						Slot/gauze	Length	16 #
						179-539 ft.		fine
				 		Gravel pack? YES Size r		coars
						 Static water level: 165 ft. below land su 		o./day/yr.
					_	12. Pumping level below lar		713
					┤ .	ft. after	hrs. pumping	
						ft. after		
						Estimated maximum yield — 13. Water sample submitted:		g.p.m.
				+	一.	Yes No	Date	,,, ddy, y, .
					_[14. Well head completion:		
					\vdash		12 Inches above	grade
				<u> </u>		15. Well grouted? <u>Yes</u> With: Neat cement X		Concrete
						Depth: From ft. to		Concrete
					Г	16. Nearest source of possib	le contamination:	ne
	,				י [ft Direction Well disinfected upon compl	гуре	
						17. Pump:	X Not installed	
					- 1	Manufacturer's name		l´
						Model number		
				 		Length of drop pipe Type:	ff. capacity	g.p.m.
						Submersible	Turbin	1
	/Uso c	and sheet if needed)				Jet Centrifugal	Recipr	rocating
8. Elevation:	19. Remarks:	and aneer in necoco,		11	\dashv	20. Water well contractor's		;
o. Lievanon:						This well was drilled under r		s report
x Flat					- 1	is true to the best of my know	-	y.co.
opog raphy: Hill						Henkle Drill Business name		y Co
Slope						Addre Box 639 G	C, Ks	145
Upland						Signed Brung Re	charel Date	8-22-7
Valley						Authorized re	presentative	1

DRILLERS TEST LOG

CUSTOMERS NAME	Russell Kells	DATE 3/27/78
STREET ADDRESS _		TEST # 3 E. LOG Yes
CITY & STATE	Satanta, Ka nsas	DRILLER Martinez
COUNTY Haskell	QUARTER NW SECTION 21 TO	WNSHIP 27 RANGE 33
TOCAMTON 1 600	ft Past of the NW corner of	the cuerter.

-	-			WELL LOCATION
%	F	OATOC	E E	Static Water Level
From Pay			To	DESCRIPTION OF STRATA Proposed Well Depth
	0		2	Top Soil
	2		21	Brown sandy clay
	21		60	Sand fine to med with a few clay sts.
	60		83	Sand fine to med coarse.
	83		180	Sand fine to med coarse with small to large gravel.
50	180	20	200	Sand fine to med coarse. Loose - used water.
	200	20	220	Sand fine to med coarse, small to med with a few
				large gravel. Loose - used water.
80	220	25	245	Sand fine to med coarse, small to large gravel.
20.0				Loose - used water. Drilled rough, Had very few
		1		clay sts.
	245	1	275	Brown clay, limerock ledges.
50	275	03	278	Sand fine to med coarse. Loose - used water.
	278	1	280	Brown clay
50	280	07	287	Sand fine to med coarse. Very few small gravel.
		1		Loose - used water.
	287	1	300	Brown clay with a few limerock sts.
60	300	16	316	Sand fine to med coarse, small gravel. Loose - used
		 	1	water. Had a few clay sts.
	316	†	325	Brown clay
60	325	15	340	Sand fine to med coarse and small gravel. Loose -
		1	1	used water.
40	340	05	345	Sand fine to med with a few coarse. Loose - had a
		1		few ledges. Used some water.
	345	1	400	Brown clay - sticky.
	400	†	460	Brown clay with a few limerock sts.
	460	1	480	Brown clay with very few brown rock sts.
Pair	480	20	500	Yellow clay, sandstone sts. Very few brown rock
			1	ledges. Used some water - Loose in places. Mud heav
Pair	500	36	536	Sandstone with a few yellow clay sts. Loose - used
			1	some water. Mud heavy - drilled tight.
	536		560	Soapstone with a few weather shale sts.
		167		The state of the s
		1	1	
		1	1	Used 6 QUIK GEL
			1	OBEG O OUTK GET
				TOTAL DEPTH OF WELL 539'
			1	Set up facing West
				Pit on the North
				TO VIE LIE WALLE

GARDEN CITY, KS Phone 276-3278

HENKLE DRILLING & SUPPLY CO., INC. IRRIGATION HEADQUARTERS

SUBLETTE, KS Phone 675-4311

TEST HOLES * * * * * * IRRIGATION & INDUSTRIAL WELLS * * * * STOCK WELLS