


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY!

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

| | | | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------------------------------|--|--|--|
| 1 Location of well: | County Haskell | Township name | Fraction W$\frac{1}{2}$, NE$\frac{1}{4}$ | Section number 22 | Town number T 27 S | Range number R 33 W | | | |
| Distance and direction from nearest town or city: 13$\frac{1}{2}$ north & 4 west of Sublette Street address of well location if in city: | | | | 3 Owner of well: Paul Brown Address: Sublette, Kansas | | | | | |
| Locate with "X" in section below: N  W E S 1 Mile | | Sketch map: <i>Handwritten sketch of well location</i> | | 4 Well depth: 516 ft. Date of completion 5-29-75 Well diameter 26 in. | | | | | |
| 2 Type and color of material | | | | From | | To | | | |
| | | | | See Attachment | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 8 Screen: Manufacturer Brown Type Louvered Dia. 16" Slot/gauze 1/8" Length 175 ft. Set between 466 ft. and 516 ft. 1/4 to 1/8 Fittings: 285' & 410' Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/8 | | | | | | | | | |
| 9 Static water level: 142 ft. below land surface Date 5-29-75 | | | | | | | | | |
| 10 Pumping level below land surfaces: 170 ft. after _____ hrs. pumping 1248 g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield _____ g.p.m. | | | | | | | | | |
| 11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____ | | | | | | | | | |
| 12 Well head completion: 12 <input type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade | | | | | | | | | |
| 13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> _____ Depth: From 0 ft. to 10 ft. | | | | | | | | | |
| 14 Nearest source of possible contamination: none observed ft. _____ Direction _____ Type _____ Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | |
| 15 Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name _____ Model number _____ HP _____ Volts _____ Length of drop pipe _____ ft. capacity _____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other | | | | | | | | | |
| 16 Remarks: elevation Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope Rolling <input type="checkbox"/> Upland <input type="checkbox"/> Valley | | | | 17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drilling & Supply 145 Business name License No. _____ Address Box 639 Garden City, KS Signed <i>John Henkle</i> Date 6/18/75 Authorized representative | | | | | |

DRILLERS TEST LOG

CUSTOMERS NAME Paul Brown DATE 4-22-75
 STREET ADDRESS _____ TEST # 1 LN
 CITY & STATE Sublette, KS DRILLER Henderhan
 COUNTY Nowell QUARTER NE SECTION 22 TOWNSHIP 27 RANGE 33

LOCATION 1320 ft. north of the SW corner of the NE 1/4

| % | DRILLED FOOTAGE | | Description of Strata | WELL LOCATION |
|----|-----------------|--------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | from | Pay to | | Static Water Level Proposed Well Depth |
| | 0 | | 2 | Top soil sandy |
| | 2 | | 20 | Brown sandy clay & sand fine to small st. |
| | 20 | | 32 | Sand fine to small & clay st. |
| | 32 | | 36 | Brown sandy clay |
| | 36 | | 39 | sand fine to small |
| | 39 | | 50 | Brown clay & sand st. |
| | 50 | | 60 | Sand fine to med. coarse, small gravel, some med. gravel, some rough ledges |
| | 60 | | 118 | Sand fine to med. coarse, small med. large gravel, brown gravel, cobblestones, drills rough |
| | 118 | | 171 | Sand fine to med. coarse, small med. gravel, some cobblestones, rough in places, loose in places. |
| | 171 | | 173 | Yellow clay, limerock ledges |
| 75 | 173 | 47 | 220 | Sand fine to med. coarse, small to med. large gravel, brown gravel, cobblestones, very hard ledges, drills rough, used water. |
| 80 | 220 | 73 | 293 | Sand fine to med. coarse, small to med. large gravel, brown gravel, cobblestones, very hard ledges, loose in places, some white & tan gravel, very hard from 275' to 286'. |
| 48 | 293 | 11 | 304 | Brown sandy clay & sand fine to med. mixed. |
| 55 | 304 | 5 | 309 | Sand fine to med. coarse, small med. gravel, brown gravel, loose & rough in places |
| | 309 | | 314 | Brown sandy clay |
| 70 | 314 | 20 | 343 | Sand fine to med. coarse, small med. & some large gravel, some cemented ledges, limerock ledges, loose & rough in places, used water. |
| | 343 | | 351 | Brown sandy clay & sand st. |
| 80 | 351 | 13 | 364 | Sand fine to med. coarse, loose in places, used some water, & a lot of clay st. |
| | 364 | | 371 | Brown sandy clay & sand st. |
| 80 | 371 | 9 | 380 | Sand fine to med., loose in places, limerock ledges |
| | 380 | | 394 | Brown sandy clay & cemented sand st. |
| 55 | 394 | 10 | 404 | Sand fine to med. coarse, loose in places, some cemented ledges. |
| | 404 | | 420 | Brown sandy clay, limerock ledges, & sand st. sticky in places. |

ARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS
 HOME 276-3278 IRRIGATION HEADQUARTERS PHONE 675-6311

EST HOLES*****STOCK WELLS*****IRRIGATION AND INDUSTRIAL WELLS*****

