	LOCATION OF WATER WELL:	Fraction			1-1212 ₁₂ 5#78 Township Num	
	County: Street/Rural Address of Well Location;		Global Posit	tioning S	T Systems (GPS) in	S E F
	direction from nearest town or intersect	· ·	Latitude:			(in decimal degr
	check here	Longitude:(in decimal degrees) Elevation:				
			Datum: Collection M	☐ WG! <u>fethod:</u>	S84, □ NA	· —
2	WATER WELL OWNER:					phic Map,
	RR#, St. Address, Box #: City, State ZIP Code:				_	
					3 m, □ 3-5 m,	\square 5-15 m, \square > 15 m
	MARK WELL'S LOCATION WITH AN "X" IN SECTION	4 DEPTH OF WELL		ft.		
	BOX:	WELL'S STATIC W	ATER LEVEL		ft	
		WELL WAS USED A	AS:			
	NW NE	Domestic	Public Wat			Dewatering
W	E	Irrigation Feedlot	Oil Field W	Vater Sup Lawn &	1 /	Monitoring Injection Well
	SW SE		Air Conditi	ioning		Other
		Was a chemical/bacter	riological sample	e submitt	ed to Departmen	nt? Yes No
;	TYPE OF BLANK CASING USE	E D :				
	Steel RMP (SR) PVC ABS	Wrought Asbestos-Cement C	Fiberglass Concrete Tile		ther (Specify bel	low)
	Blank casing diameter in. Casing height above or below land	Was casing pulled? Yes			w much	
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From	Was casing pulled? Yes surface in. Neat cement Cen ft., From the surface ft.,	No If	f yes, how	ite Other	
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible processing the statement of t	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination:	No If	Benton	tite Other	ft. to ft.
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P	Was casing pulled? Yes surface in. Neat cement Cen ft., From the contamination: Seepage pit Fuel it privy Fertification.	No If	Benton	ite Other	ft. to ft.
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible septic tank	Was casing pulled? Yes surface in. Neat cement Center ft., From the contamination: Seepage pit Fuel fit privy Fertility Sewage lagoon Insection.	No If	Benton	tite Other	ft. to ft.
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible septic tank Sewer lines P Watertight sewer lines S Lateral lines F	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel Fertility Fertility Insection of the center of	No If	Bentoni O	other	ft. to ft.
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P Watertight sewer lines S Lateral lines F Cess pool L	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel Fertility Fertility Insection of the center of	No If	Bentoni O	other Other of Othero	ft. to ft. low)
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P Watertight sewer lines S Lateral lines F Cess pool L	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel Fertility Fertility Fertility Fertility Fertility Fertility Fertility Feedyard Aban ivestock pens Oil w	No Ifferent grout Iff	Bentoni O III Dire	other Other of Othero	ft. to ft. low) ?
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P Watertight sewer lines S Lateral lines F Cess pool L	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel Fertility Fertility Fertility Fertility Fertility Fertility Fertility Feedyard Aban ivestock pens Oil w	No Ifferent grout Iff	Bentoni O III Dire	other Other of Othero	ft. to ft. low) ?
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P Watertight sewer lines S Lateral lines F Cess pool L	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel Fertility Fertility Fertility Fertility Fertility Fertility Fertility Feedyard Aban ivestock pens Oil w	No Ifferent grout Iff	Bentoni O III Dire	other Other of Othero	ft. to ft. low) ?
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P Watertight sewer lines S Lateral lines F Cess pool L	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel Fertility Fertility Fertility Fertility Fertility Fertility Fertility Feedyard Aban ivestock pens Oil w	No Ifferent grout Iff	Bentoni O III Dire	other Other of Othero	ft. to ft. low) ?
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P Watertight sewer lines S Lateral lines F Cess pool L	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel Fertility Fertility Fertility Fertility Fertility Fertility Fertility Feedyard Aban ivestock pens Oil w	No Ifferent grout Iff	Bentoni O III Dire	other Other of Othero	ft. to ft. low) ?
	Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible septic tank	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel it privy Fertile seedyard Abandivestock pens Oil was GGING MATERIALS	No Ifferent grout Iff	Bentonio	other	ft. to ft. low) ? GING MATERIALS
· (CONTRACTOR'S OR LANDOV	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel it privy Fertility Fertility Fertility Sewage lagoon Insect Aban ivestock pens Oil was GGING MATERIALS WNER'S CERTIFICATION	No Ifferent grout Iff	Bentonio Bentonio TO TO er well v	other	ft. to ft. low) ? GING MATERIALS der my jurisdiction and
· (Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible septic tank	Was casing pulled? Yes surfacein. Neat cement Cenft., From the contamination: Seepage pit Fuel it privy Fertility Fertility Fertility Sewage lagoon Insect Aban ivestock pens Oil was GGING MATERIALS WNER'S CERTIFICATION	No Ifferent grout Iff	Bentonio Bentonio TO TO er well v	other	ft. to ft. low) ? GING MATERIALS der my jurisdiction and

KSA82a-1212

Revised 1/29/2014