

Original Record		WWC-5		3200		ion of Water			Wall ID		
1 LOCATION OF WA		e in Well Use Fraction	;			rces App. No on Number		Sarryn alaim Marmala	Well ID	a a Numbar	
County:	AIER WELL:		1/4 1/	4 1/4	Secu	on Number	1	'ownship Numb T S	er Rai	nge Number □ E □ W	
- v	. NT		74 7		. D.1.00	1 Addross v	whore	- ~			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: □											
Address:	direction from nearest town of intersection). If at owner is address, effect from							check here.			
Address:											
City:	State:	ZIP:				T					
3 LOCATE WELL	4 DEPTH OF COV	IPLETED V	WELL:		ft	5 Latitu	de.			(decimal degrees)	
WITH "X" IN	4 DEPTH OF COMPLETED WELL:										
SECTION BOX:	Depth(s) Groundwater Encountered: 1)										
N	WELL'S STATIC WA	TER LEVEL	:	ft.		Source for Latitude/Longitude:					
	 below land surface, 	, measured or	(mo-day	y-yr)		□GF	PS (uni	it make/model:)	
NW NE	above land surface,						(WAAS enabled? ☐ Yes ☐ No)				
	Pump test data: Well w							nd Survey 🔲 Topographic Map			
WE	after hours				☐ Online Mapper:						
SW SE	after hours	vater was									
	Estimated Yield:			. gpm	6 Elevation:ft. ☐ Ground			l Level 🔲 TOC			
S	Bore Hole Diameter:			ft and							
1 mile		in. to						ther			
7 WELL WATER TO						I					
1. Domestic:	5. ☐ Public Wa	ter Supply: v	vell ID			10. □ Oil	Field	Water Supply: 16	ease		
☐ Household	6. ☐ Dewaterin							vell ID			
Lawn & Garden	7. Aquifer Re					☐ Cas	sed [☐ Uncased ☐ □	Geotechnica	ıl	
☐ Livestock	8. Monitoring	g: well ID						how many bores			
2. Irrigation	9. Environmenta							oop 🔲 Horizont			
3. ☐ Feedlot	☐ Air Sparge		_	Extraction	traction b) Open Loop						
4. Industrial	Recovery	⊔ In	jection			13. □ Oth	ier (sp	ecify):			
Was a chemical/bacteri		itted to KD	HE? □	Yes 🔲	No]	If yes, date	samp	le was submitte	d:		
Water well disinfected?											
8 TYPE OF CASING											
Casing diameter											
Casing height above land so				lbs	./ft.	Wall thicks	ness or	gauge No			
TYPE OF SCREEN OR			_			_					
	less Steel		□ PVC	• .			er (Spe	ecify)	• • • • • • • • • • • • • • • • • • • •		
	anized Steel Conc		☐ None	used (oper	i hole)						
SCREEN OR PERFORA			. o	l- C4	□ p:	11. 1 11.1		1 (C:£)			
	☐ Mill Slot ☐ Ga ☐ W W	auze Wrapped				ne (Open Ho		her (Specify)	• • • • • • • • • • • • • • • • • • • •		
SCREEN-PERFORATE								ft From	ft. to	ft	
	K INTERVALS: From										
9 GROUT MATERIA											
Grout Intervals: From										,	
Nearest source of possible		10., 1 10111		. 10. 00		10., 1 10111 .					
Septic Tank	Lateral Line	s \square P	it Privy		\Box L	ivestock Pen	ıs	☐ Insection	cide Storage	;	
Sewer Lines	Cess Pool		lewage La	agoon		uel Storage			oned Water		
☐ Watertight Sewer Line		□ F	eedyard		\Box F	ertilizer Stor	age	☐ Oil We	ll/Gas Well		
Other (Specify)											
Direction from well?			ce from w								
10 FROM TO	LITHOLOG	FIC LOG		FRO	M	TO 1	LITH	D. LOG (cont.) or	PLUGGIN	GINTERVALS	
				N7 4							
Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction an	d was completed on (n	o_dav_veer	CATIO	ıv: ınıs v	water '	wen was <u> </u>	J cons	to the best of m	nistructed, v knowled	or plugged	
Kansas Water Well Cont	tractor's License No		This W	ater Well	Reco	rd was com	nlete	d on (mo-dav-v	ear)	ge and belief.	
Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year)											
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.											
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	ANDREW KOEHN
Doc ID	1338250

Litholgy

From	То	LithologicLog
0	2	TOPSOIL
2	80	SILT, SILTY SAND & SANDY CLAY
80	102	SANDY CLAY & SOME SAND
102	179	F/M/C SAND& S/M GRAVEL
179	212	GRAY/BLUE CLAY
212	245	CLAY
245	255	FINE SAND
255	266	F/M/TR. C SAND
266	310	F/MSAND & CLAY STRINGERS
310	332	F/M/TR. C SAND
332	390	F/M SAND
390	391	CEM SAND
391	405	F/M/C SAND & FINE GRAVEL
405	412	F/M SAND & TR. F. GRAVEL
412	428	F/M/C SAND & F. GRAVEL
428	450	F/TR. MED SAND & CLAY
450	510	CEM SAND & LIMEROCK
510	531	SANDY CLAY
531	535	C/VERY C. SAND & F. GRAVEL
535	540	F. GRAVE W/ TR. ROCK
540	556	F. GRAVEL W/ ROCK
	-	· · · · · · · · · · · · · · · · · · ·

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	ANDREW KOEHN
Doc ID	1338250

Litholgy

From	То	LithologicLog
556	560	CLAY
560	567	CLAY/GRAVEL
567	580	CLAY/SHALE
580	620	CLAY/SHALE
620	640	CLAY/SHALE/SAND
640	650	SHALE W/ F/M SAND
650	660	F/M SAND
660	666	SHALE/CLAY
666	670	FINE SAND
670	680	SHALE W/ F. SAND LENSES