

WATER WELL R		orm WWC-5	,	6041		ion of Water		Well ID
Original Record 1 LOCATION OF W		Change in Well U				rces App. No		
County:	AIER WELL:	Fraction		/ ₄ 1/ ₄	Secu	on Number	T S	ber Range Number R □ E □ W
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
					rection from nearest town or intersection): If at owner's address, check here:			
Address:						a s address, eneck here.		
Address:								
City: 3 LOCATE WELL	State	: ZIP:						
WITH "X" IN	4 DEPTH OF					5 Latitud	de:	(decimal degrees)
SECTION BOX:	Depth(s) Ground					Longit	ude:	(decimal degrees)
N		ft. 3)					☐ WGS 84 ☐ NA	
	WELL'S STATI	urface, measured					for Latitude/Longitude	
NW NE		urface, measured				□GP)
NW NE	Pump test data:					(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map		
W E		. hours pumping				Online Mapper:		
SW SE		Well water was .						
	after Estimated Yield:	. hours pumping	• • • • • • • • • • • • • • • • • • • •	. gpm		6 Elevation:ft. ☐ Ground Level ☐ TOC		
S	Bore Hole Diame		to	ft. and		Source: Land Survey GPS Topographic Map		
mile	Bore Hole Blank	in					☐ Other	
7 WELL WATER TO	BE USED AS:					-11		
1. Domestic:		lic Water Supply						lease
☐ Household		vatering: how ma			11. Test Hole: well ID			
Lawn & Garden		iifer Recharge: w				☐ Cased ☐ Uncased ☐ Geotechnical		
☐ Livestock 2. ☐ Irrigation		nitoring: well ID nmental Remedia				12. Geothermal: how many bores?		
3. ☐ Feedlot			Soil Vapor					
4. ☐ Industrial	☐ Rec		Injection		-			
Was a chemical/bacter	iological sample	submitted to I	KDHE?	l Yes □	No 1	If ves. date	sample was submitte	ed·
Water well disinfected?				. 105 🗀		11 j 05, auto	sampro was saerina	
		□ PVC □ Othe	er	C	ASINO	G JOINTS:	☐ Glued ☐ Clampe	ed Welded Threaded
Casing diameter								
Casing height above land s				lbs	s./ft.	Wall thickn	ess or gauge No	
TYPE OF SCREEN OR								
		Fiberglass	□ PVC		- 11-\		r (Specify)	
☐ Brass ☐ Galv SCREEN OR PERFOR		CS APE:	☐ None	used (oper	n hole)			
	☐ Mill Slot	☐ Gauze Wrap	ned □T	orch Cut	□ Dri	lled Holes	Other (Specify)	
	☐ Key Punched					ne (Open Ho		
SCREEN-PERFORATE								ft. to ft.
GRAVEL PAC	CK INTERVALS	: From	ft. to	ft., F	rom	ft. to	ft., From	ft. to ft.
9 GROUT MATERIA	L: Neat ceme	nt Cement g	rout 🔲 B	entonite	Oth	her		
Grout Intervals: From		ft., From		. ft. to		ft., From	ft. to	ft.
Nearest source of possible		-1.T.: -	□ D:4 D:			:4	-	:-: J- C4
☐ Septic Tank☐ Sewer Lines	☐ Later:] Pit Privy] Sewage L	agoon		ivestock Pen uel Storage		icide Storage loned Water Well
☐ Watertight Sewer Lin			Feedyard			ertilizer Stor		ell/Gas Well
Other (Specify)						orthizer Stor		
Direction from well?			tance from v	vell?	<u>.</u>			
10 FROM TO	LITH	OLOGIC LOG		FRO	M	TO I	LITHO. LOG (cont.) o	or PLUGGING INTERVALS
				Note	n•			
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged								
under my jurisdiction an	d was completed	on (mo-day-ye	ar)		and th	nis record is	true to the best of n	ny knowledge and belief.
Kansas Water Well Con	tractor's License	No	This W	ater Wel	l Reco	rd was com	pleted on (mo-day-y	year)
under the business name	under the business name of					الم		
KS Department of Health a	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1356041

Litholgy

From	То	LithologicLog
0	20	SILT & CLAY
20	74	CLAY
74	80	F/M GRAVEL
80	100	F/M/C GRAVEL
100	120	F/M GRAVEL
120	140	F/M GRAVEL
140	160	F/M GRAVEL
160	180	F/M/ C GRAVEL
180	200	F/M GRAVEL
200	220	F/M GRAVEL
220	230	CLAY
230	240	FINE GRAVEL
240	254	F/M GRAVEL
254	257	CLAY
257	360	CLAY
360	380	CLAY W/ C. SAND
380	390	CLAY
390	400	F. GRAVEL & CLAY
400	409	COARSE SAND
409	420	CLAY
420	440	C SAND & CLAY
440	460	C SAND & F. GRAVEL & CLAY
460	469	C. SAND

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1356041

Litholgy

From	То	LithologicLog
469	474	CLAY
474	480	C. SAND & F. GRAVEL
480	486	FINE GRAVEL
486	487	LIMESTONE
487	530	C. SAND / FINE GRAVEL & TR. CLAY
530	560	CLAY
560	580	SOAPSTONE/ BROKEN ROCK & SAND
580	585	SAND & ROCK
585	614	SHALE
614	620	SAND & CLAY
620	640	SANDY CLAY / SHALE & SAND
640	648	C. SAND & GRAY CLAY