

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.


Well ID

1 LOCATION OF WATER WELL:

Fraction Section Number Township Number Range Number

2 WELL OWNER: Last Name: Business: Address: City: State: ZIP: Street or Rural Address where well is located

3 LOCATE WELL WITH "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL:

Depth(s) Groundwater Encountered: 1) ft. 2) ft. 3) ft., or 4) Dry Well WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) Pump test data: Well water was after hours pumping gpm Well water was after hours pumping gpm Estimated Yield: gpm Bore Hole Diameter: in. to ft. and in. to ft.

5 Latitude: (decimal degrees)

Longitude: (decimal degrees) Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude: GPS (unit make/model: WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper:

6 Elevation: ft. Ground Level TOC

Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS:

- 1. Domestic: Household Lawn & Garden Livestock Irrigation Feedlot Industrial
2. Public Water Supply: well ID
3. Dewatering: how many wells?
4. Aquifer Recharge: well ID
5. Monitoring: well ID
6. Environmental Remediation: well ID
7. Air Sparge Soil Vapor Extraction Recovery Injection
8. Oil Field Water Supply: lease
9. Test Hole: well ID
10. Cased Uncased Geotechnical
11. Geothermal: how many bores?
12. Closed Loop Horizontal Vertical Open Loop Surface Discharge Inj. of Water
13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

- Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

- Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. ft.

Nearest source of possible contamination:

- Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify)

Direction from well? Distance from well? ft.

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year) under the business name of

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Forrest Cox
Doc ID	1405612

Litholgy

From	To	LithologicLog
0	2	top soil
2	57	brown sandy clay
57	79	fine sand
79	97	brown sandy clay
97	195	sand fine to med coarse small med large gravel
195	200	brown clay
200	212	sand fine to med coarse
212	253	brown clay w fine sand strips
253	259	blue clay w/ few hard rock
259	306	blue clay
306	340	sand fine to med coarse small gravel w/ few brown clay stringers
340	374	sand fine to med coarse small gravel
374	389	brown sandy clay
389	431	sand fine to med coarse
431	440	brown sandy clay w/ some lime rock
440	453	fine sand w/ many clay stringers
453	460	brown sandy clay
460	479	brown sandy clay w/ fine sand mixed
479	502	fine sand w/ many clay stringers

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Forrest Cox
Doc ID	1405612

Litholgy

From	To	LithologicLog
502	519	brown clay
519	540	sand fine to med coarse w/ brown rock
540	625	soapstone
625	636	blue shale w/ couple sand stone ledges
636	660	blue shale