

LOCATION OF WATER WELL		Fraction		Section Number	Township Number	Range Number
County: <u>Haskell</u>		<u>NE 1/4 NE 1/4 NW 1/4</u>		<u>7</u>	<u>T 27 S</u>	<u>R 34 E/W</u>
Distance and direction from nearest town or city? <u>14 North, 12 West, 3 North, 1/2 East of Sublette, Kansas</u>				Street address of well if located within city?		
WATER WELL OWNER: <u>Tom Lewis</u> New Well #12						
R#, St. Address, Box # : <u>Satanta, Kansas 67870</u>				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code				Application Number: <u>----</u>		
DEPTH OF COMPLETED WELL: <u>430</u> ft. Bore Hole Diameter: <u>7.7/8</u> in. to <u>430</u> ft. and <u> </u> in. to <u> </u> ft.						
Well Water to be used as:						
1 Domestic		3 Feedlot		8 Air conditioning		11 Injection well
2 Irrigation		4 Industrial		9 Dewatering		XXX2 Other (Specify below)
7 Lawn and garden only		10 Observation well		<u>Stock Well</u>		
Well's static water level: <u>155</u> ft. below land surface measured on <u>May</u> month <u>13</u> day <u>1981</u> year						
Pump Test Data						
St. Yield <u>100</u> gpm:		Well water was <u> </u> ft. after <u> </u> hours pumping <u> </u> gpm		Well water was <u> </u> ft. after <u> </u> hours pumping <u> </u> gpm		
TYPE OF CASING USED:						
1 Steel		3 RMP (SR)		8 Concrete tile		Casing Joints: Glued <u>XX</u> Clamped <u> </u>
XXX2 PVC		4 ABS		9 Other (specify below)		Welded <u> </u>
5 Wrought iron		6 Asbestos-Cement		10 Asbestos-cement		Threaded <u> </u>
7 Fiberglass		11 Other (specify)		12 None used (open hole)		
Blank casing dia <u>5</u> in. to <u>220</u> ft., 220 <u>250-310</u> in. to <u>330-370</u> ft., 370 <u>380-420</u> in. to <u> </u> ft.						
Casing height above land surface <u>12</u> in., weight <u>3.92</u> lbs./ft. Wall thickness or gauge No <u>375</u>						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS
11 Other (specify)		12 None (open hole)				
Screen or Perforation Openings Are:						
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		XXX8 Saw cut
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes
7 Torch cut		10 Other (specify)		11 None (open hole)		
Screen-Perforation Dia <u>5</u> in. to <u>430</u> ft., Dia <u> </u> in. to <u> </u> ft., Dia <u> </u> in. to <u> </u> ft.						
Screen-Perforated Intervals:						
From <u>220</u> ft. to <u>250</u> ft.,		From <u>370</u> ft. to <u>380</u> ft.,		From <u>420</u> ft. to <u>430</u> ft.		
From <u>310</u> ft. to <u>330</u> ft.,		From <u>420</u> ft. to <u>430</u> ft.,		From <u>420</u> ft. to <u>430</u> ft.		
Gravel Pack Intervals:						
From <u>10</u> ft. to <u>430</u> ft.,		From <u> </u> ft. to <u> </u> ft.,		From <u> </u> ft. to <u> </u> ft.		
GROUT MATERIAL: <u>XXX4</u> Neat cement						
2 Cement grout		3 Bentonite		4 Other <u> </u>		
Grouted Intervals: From <u>0</u> ft. to <u>10</u> ft., From <u> </u> ft. to <u> </u> ft., From <u> </u> ft. to <u> </u> ft.						
What is the nearest source of possible contamination:						
1 Septic tank		4 Cess pool		7 Sewage lagoon		11 Fertilizer storage
2 Sewer lines		5 Seepage pit		8 Feed yard		XXX15 Oil well <u> </u>
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage
13 Watertight sewer lines		16 Other (specify below)		14 Abandoned water well		
Direction from well <u>Southwest</u> How many feet <u>3000</u> ? Water Well Disinfected? Yes <u>XXX</u> No <u> </u>						
Has a chemical/bacteriological sample submitted to Department? Yes <u> </u> No <u>XXX</u> If yes, date sample was submitted <u> </u> month <u> </u> day <u> </u> year <u>Windmill</u>						
If Yes: Pump Manufacturer's name <u>Aermotor Mill</u> Model No. <u> </u> HP <u> </u> Volts <u> </u>						
Depth of Pump Intake <u>206</u> ft. Pumps Capacity rated at <u> </u> gal./min.						
Type of pump: <u>XXX4</u> Submersible						
2 Turbine		3 Jet		4 Centrifugal		5 Reciprocating
6 Other						
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) <u>reconstructed</u> , or (3) <u>plugged</u> under my jurisdiction and was completed on <u>May</u> month <u>22</u> day <u>1981</u> year						
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>252</u>						
This Water Well Record was completed on <u>June</u> month <u>4</u> day <u>1981</u> year under the business name of <u>Friesen Windmill & Supply Inc.</u> by (signature) <u>[Signature]</u>						
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:						
		FROM		TO	LITHOLOGIC LOG	
		0		80	Fine Sand	
		80		120	Gravel	
		120		200	Large Sand	
		200		265	Clay	
		265		310	Medium Sand	
		310		360	Sandy Clay	
		360		380	Fine Sand	
		380		395	Sandy Clay	
		395		408	Fine Sand	
408		430	Clay			
ELEVATION: <u>Slope</u>						
Depth(s) Groundwater Encountered <u>1. Not available</u> ft. <u>3</u> ft. <u>4</u> ft. (Use a second sheet if needed)						

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.