			WATE	R WELL RECORD	Form W	WC-5 KSA 82	a-1212					
1 LOCATI		TER WELL:	Fraction			Section Number	1	ip Number	Ra	nge Nur	nber	
County:			NE 1/4		· /~		Т	²⁷ (\$)	R	34	₽ (W)	
Distance and direction from nearest town or city street address of well if located within city?												
18½ NW of Sublette KS												
2 WATER WELL OWNER: Cheyenne Drilling						#1-10 Kuhn						
RR#, St. Address, Box # : P. O. Box 916 City, State, ZIP Code : Garden City, KS 67846						Board of Agriculture, Division of Water Resources Application Number: 920476						
	e, ZIP Code				220			ation Number:				
I LOCATI	e well's l In sectioi	OCATION WITH 4	DEPTH OF C	OMPLETED WELL	320	ft. ELEV	ATION:					
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	114 320110	Ŋ I De	epth(s) Ground	water Encountered	150 173	ft.	2	ft. 3	3	1 /50 /	ft.	
Ī		l i wi		WATER LEVEL								
	NW	NE		test data: Well wat								
	ı			00. gpm: Well wat								
ă w	1				320ft., andin. toft.							
2	X¦		ELL WATER T		Public water supply 8 Air conditioning 11 Injection well Dil field water supply 9 Dewatering 12 Other (Specify below)							
1 -												
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well											
Į L				acteriological sample	submitted	· ·		-			e was sub-	
5 TYPE (OF DIANK (CASING USED:	tted	E Manualita	- 0.0			fected? Yes a JOINTS: Glue		No		
حا		3 RMP (SR)		5 Wrought iron		Concrete tile				•		
1 St		4 ABS		6 Asbestos-Cement		Other (specify belo	•					
			to 320	7 Fiberglass								
_		R PERFORATION M		mi, weight		. 902						
1 Ste		3 Stainless st		5 Fiberglass	_	8 RMP (SR) 11 Other (specify)						
2 Br		4 Galvanized		6 Concrete tile		9 ABS 12 None used (open hole)						
						d wrapped 8 Saw cut 11 None (open hole)					hole)	
1 Continuous slot 3 Mill slot 6 Wire w							9 Drilled ho				,	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)												
SCREEN-I	PERFORATI	ED INTERVALS:		. 220 ft. to .	32	.0 ft., Fro	٠,	• •				
			From	ft. to .		ft., Fro	om	ft. 1	o		ft.	
	GRAVEL PA	CK INTERVALS:	From	. <u>1.20</u> ft. to .	32	0 ft., Fro	om	ft. t	o		ft.	
			From	ft. to		ft., Fro		ft1				
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Hole Plug												
Grout Intervals: Fromft. to20 ft., From												
What is the nearest source of possible contamination:							stock pens	_	bandoned		vell	
•			7 Pit privy		11 Fuel storage 13 Oil well/Gas well on 12 Fertilizer storage 16 Other (specify be					,		
2 Sewer lines 5 Cess pool 8 Sewage lago 3 Watertight sewer lines 6 Seepage pit 9 Feedyard					oon			16 C	itner (spe	сіту реіо	w)	
	•	, ,	•	9 Feedyard			cticide storage	170'				
Direction from well? Northeast FROM TO LITHOLOGIC LOG					FRC		any feet?	PLUGGING I	NTERVAL	_S		
0	38	Sandy										
38	49	Clay	<u> </u>	•								
49	58	Sand										
58	107		Gravel									
107	230	Sand			1							
230	246	Clay										
246	314	Sand	~~~~		Ц							
314	320	Clay			4							
			nu auto									
					4							
	ļ											
	-											
					+							
	l				<u> </u>							
		OR LANDOWNER'S		a (1) co								
completed on (mo/day/year)											f. Kansas	
					1		1		9/92	/ -	/	
			~	Box 806 Beave	1.		1200-		10.	u le	ed	
INSTRU	CHONS: Use ty h and Environm	pewriter or ball point pen. ent, Bureau of Water, Tope	PLEASE PRESS FI. eka, Kansas 66620	<u>RMLY</u> and <u>PRINT</u> clearly. Ple -0001. Telephone: 913-296-5	ase fill in bl 545. Send o	anks, underline or circle one to WATER WELL O	e the correct answ WNER and retain	ers. Send top three one for your records	copies to Ka	ansas Depa	ırtmerit	