


USE TYPEWRITER OR BALL  
POINT PEN-PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:		County <b>Haskell County</b>	<input checked="" type="checkbox"/> Action <b>1/4 NW 1/4 CW 1/4</b>	Section number <b>11</b>	Township number <b>T 27 S</b>	Range number <b>R 34 E</b>
2. Distance and direction from nearest town or city: <b>1 1/2 West of Sublette</b> <b>16 North on 83, 7 3/4 West, 1/2 South</b> Street address of well location if in city:				Owner of well: <b>Fern Batchelder</b> R.R. or street: <b>1706 B</b> City, state, zip code: <b>Garden City, KS 67846</b>		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. <b>26</b> in. Completion date <b>5-20-79</b> Well depth <b>344</b> ft.		
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input checked="" type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material <b>Steel</b> Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <b>1 ft.</b> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <b>36.87</b> lbs./ft. Dia. <b>16</b> in. to <b>344</b> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. <b>219</b>		
				10. Screen: Manufacturer's name <b>Johnson</b> Type <b>Johnson Galv. 100-16"</b> Slot/gauze <b>0-180 Plain</b> on <b>180-300 Perf.</b> Set between <b>300-310 Screen</b> and <b>310-330 Perf.</b> <b>330-340 Screen</b> on <b>340-344 Perf.</b> Gravel pack? <b>Yes</b> Size range of material <b>1/4 to 5/8</b>		
				11. Static water level: <input type="checkbox"/> mo./day/yr. <b>127</b> ft. below land surface Date <b>4-16-79</b>		
				12. Pumping level below land surfaces: <b>132.5</b> ft. after <b>2</b> hrs. pumping <b>1100</b> p.m. <b>134</b> ft. after <b>4</b> hrs. pumping <b>1500</b> p.m. Estimated maximum yield <b>1500</b> g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
				14. Well head completion: <input type="checkbox"/> Pitless adapter <b>1 ft.</b> inches above grade		
				15. Well grouted? <b>yes</b> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <b>0</b> ft. to <b>10</b> ft.		
				16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction <b>N/A</b> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <b>Gould 6 stg. 12" JHC Bowl</b> Model number <b>125</b> HP <b>125</b> Volts <input type="checkbox"/> Length of drop pipe <b>220</b> ft. capacity <b>1000</b> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Minter Wilson Drilling Co. 208</b> Business name License No. <input type="checkbox"/> Address <b>Box A, Garden City, KS 67846</b> Signature <b>M. Wilson</b> Date <b>4/27/79</b> Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

# MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation  
and Domestic  
Water Systems  
Complete Installation  
and Repairing

Phone 276-8269

P.O. Box A

GARDEN CITY, KANSAS 67846

February 12, 1979

Fern Batchelder  
Haskell County

Location: N. W.  $\frac{1}{4}$  11-27-34 30' North of well stake  
Static Water Level -

Test #3

0	30	Top Soil Fine
40	66	Fine sand clay mixed
46	90	Fine to med. sand and gravel (loose)
50	101	Fine to med. sand and gravel 10% Clay (loose)
51	142	Med. coarse gravel 10% Clay hard streak
52	153	Fine to med. sand and gravel (loose)
53	268	Fine to med. sand and gravel streak of med. coarse gravel (loose)
58	273	Fine to med. sand and gravel streak of med. coarse gravel 10% Clay
73	303	Brown Sandy Clay
83	315	Fine to med. sand and gravel (loose)
85	328	Brown Sandy Clay
88	339	Fine to med. sand and gravel (loose)
	365	Brown and Yellow Clay

T. D. 344