

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

| | | | | | |
|---|--------------------------|--|---|--|--|
| 1. Location of well: | County Haskell | Fraction SE 1/4 SW 1/4 NE 1/4 | Section number 28 | Township number T 27 S | Range number R 34 E |
| 2. Distance and direction from nearest town or city: 16 N. of Satanta Street address of well location if in city: | | | 3. Owner of well: Melvin Tunis R.R. or street: 2011 N. 6th Street City, state, zip code: Garden City, KS 67846 | | |
| 4. Locate with "X" in section below: | | Sketch map: Well drilled 3-25-76 | | 6. Bore hole dia. <u>26</u> in. Completion date <u>3-31-76</u> Well depth <u>405</u> ft. | |
| | | 7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary | | 8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other | |
| | | | | 9. Casing: Material <u>Steel</u> Height: <u>Above</u> or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>42</u> lbs./ft. Dia. <u>16</u> in. to <u>405</u> ft. depth; Wall Thickness: inches or Dia. <u> </u> in. to <u> </u> ft. depth; gage No. <u>250</u> | |
| 5. Type and color of material | | | From | To | 10. Screen: Manufacturer's name <u>Brown</u> |
| See attachment | | | | | Type <u>Louvered</u> Dia. <u>16"</u> Slot/gauze <u>1/8"</u> Length <u>105'</u> Set between <u>300</u> ft. and <u>405</u> ft. <u> </u> ft. and <u> </u> ft. Gravel pack? <u>Yes</u> Size range of material <u>1/4 x 1/8</u> |
| | | | | | 11. Static water level: <u>199</u> ft. below land surface Date <u>3-31-76</u> 12. Pumping level below land surfaces: <u>255</u> ft. after <u> </u> hrs. pumping <u>2000</u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u> </u> g.p.m. |
| | | | | | 13. Water sample submitted: <u> </u> mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date <u> </u> |
| | | | | | 14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> inches above grade |
| | | | | | 15. Well grouted? <u>Yes</u> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft. |
| | | | | | 16. Nearest source of possible contamination: <u>None</u> ft. <u> </u> Direction <u> </u> Type <u>observed</u> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| | | | | | 17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <u> </u> Model number <u> </u> HP <u> </u> Volts <u> </u> Length of drop pipe <u> </u> ft. capacity <u> </u> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other |
| (Use a second sheet if needed) | | | | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drilling & Supply 145 Business name License No. <u> </u> Address <u>Box 639, Garden City, KS</u> Signed <u>J. Henkle</u> Date <u>4-28-76</u> Authorized representative |
| 18. Elevation: Flat Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley | 19. Remarks: | | | | |

27-5
 34
 SE SW NE
 1/4 1/4
 28
 Sec

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

DRILLERS TEST LOG

CUSTOMERS NAME Melvin Tunis DATE 2-10-76
 STREET ADDRESS 2011 North 6 Street TEST # 7 E. Log Hole
 CITY & STATE Garden City, Kansas DRILLER Lee
 COUNTY Haskell QUARTER NE SECTION 28 TOWNSHIP 27 RANGE 34
 LOCATION 90 Foot west of Test # 1

WELL LOCATION

| % | DRILLED | | FOOTAGE TO | STATIC WATER LEVEL |
|----|---------|-----|---------------|--|
| | FROM | PAY | | PROPOSED WELL DEPTH |
| | 0 | | 3 | Top soil |
| | 3 | | 32 | Brown clay, few sand st. |
| | 32 | | 39 | Sand fine med., a little clay |
| | 39 | | 60 | Brown clay, few sand st. |
| | 60 | | 93 | Brown clay, few ledges, sand st., some broken rock. |
| | 93 | | 102 | Sand fine med. coarse |
| | 102 | | 121 | Brown clay, broken rock, sand st. |
| | 121 | | 184 | Sand fine med. coarse, small to med. gravel, some large. Very rough in places Used water. Few gray clay st. 170 - 184. |
| | 184 | | 202 | Brown clay, few hard ledges, used pulldown some. |
| 70 | 202 | 18 | 220 | Sand fine med. coarse, small to med. large gravel. Very, Very rough in places. Used some water. |
| | 220 | | 224 | Brown clay and ledges. |
| 70 | 224 | 37 | 261 | Sand fine med. coarse, small to med. gravel. Few large, rough in places. Very few clay st. Used water. |
| | 261 | | 263 | Brown clay |
| 60 | 263 | 11 | 274 | Sand fine med. coarse, small to med. gravel. Few clay st. |
| | 274 | | 290 | Brown clay, ledges, sand st. |
| 60 | 290 | 17 | 307 | Sand fine med. coarse, small to med. gravel, few ledges, very few clay st. |
| | 307 | | 314 | Brown clay, few ledges, sand st. |
| 55 | 314 | 10 | 324 | Sand fine med. coarse, small to few med. gravel. Very, few clay st. |
| | 324 | | 332 | Brown clay sand st. Cemented ledges. Hard in places. Used pulldown some |
| 50 | 332 | 6 | 338 | Sand fine med. coarse, few, small gravel, Few cemented ledges. |
| | 338 | | 340 | Brown and tan clay ledges. |
| 40 | 340 | 5 | 345 | Sand fine med. coarse, few, small gravel. Some clay. |
| | 345 | | 350 | Brown clay ledges, sand st. |
| 55 | 350 | 10 | 360 | Sand fine med. coarse, some, small gravel. Very few clay st. Used water. |
| 45 | 360 | 19 | 379 | Sand fine med. come coarse, very few clay st. |
| | 379 | | 385 | Brown clay and sand st. |
| 45 | 385 | 17 | 402 | Sand fine med. coarse, very, few clay st. Used water. |
| | 402 | | 445 | Brown clay, ledges, sand st. Some of the clay sticky. |

HENKLE DRILLING & SUPPLY CO., INC.

GARDEN CITY, KANSAS
 Phone 276-3278

SUBLETTE, KANSAS
 Phone 675-4311

TEST HOLES DOMESTIC WELLS STOCK WELLS IRRIGATION & INDUSTRIAL WELLS

