KOLAR Document ID: 1403996

WATERV			W W C-5			sion of Water	l l	,	W 11 ID		
Original R			e in Well Use			urces App. N			Well ID	Non-lean	
1 LOCATION OF WATER WELL:			Fraction 1/4 1/4	1/4 1/4		tion Number	r Township T	S	R	ge Number □ E □ W	
County:	WNED	First:			ol Addross v						
Business:	<u> </u>										
Address:											
Address:											
City:		State:	ZIP:								
3 LOCATE		4 DEPTH OF COM	IPLETED WELI	Ĺ :	ft.	5 Latitu	de:			(decimal degrees)	
WITH "X" SECTION		Depth(s) Groundwater I					5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
SECTION N	DUA:	2)									
		WELL'S STATIC WAT				Source for Latitude/Longitude:					
X	1	below land surface,				(,,					
NW	- NE	above land surface,				(**************************************					
		Pump test data: Well w	pumping			☐ Land Survey ☐ Topographic Map					
W	E		vater was			Online Mapper:					
SW -	- SE		s pumping								
		Estimated Yield:				6 Elevation :ft. ☐ Ground Level ☐ TOC					
S		Bore Hole Diameter:	in. to	ft. an	d	Source		•		ppographic Map	
1 mile			in. to	ft.			☐ Other				
	ATER TO	BE USED AS:				_					
1. Domestic:			ter Supply: well ID				Field Water Su				
Househol			g: how many wells								
☐ Lawn & (☐ Livestock				charge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?				
2. ☐ Irrigation			al Remediation: wel								
3. ☐ Feedlot	1	☐ Air Sparge			*						
4. Industrial	1	☐ Recovery	☐ Injection				ner (specify):				
Was a chemi	ical/hacteri	iological sample subm	-		7 No		sample was si				
		☐ Yes ☐ No	itted to ItDIIE.			11 yes, date	sample was so	ionnitica.			
		USED: Steel PV	C 🗆 Other		CASIN	G IOINTS:	□ Glued □ (Tlamped [¬ Welder	 l □ Threaded	
		in. to ft.,								Imeaded	
		urface in									
		PERFORATION MAT									
☐ Steel		less Steel		C		☐ Oth	er (Specify)				
☐ Brass		anized Steel	- · · · · · · · · · · · · · · · · · · ·	ne used (op	en hole)					
SCREEN OR	R PERFORA	ATION OPENINGS AI	RE:								
Continuo							Other (Spec	ify)			
		☐ Key Punched ☐ W				one (Open H		,	6	C.	
		ED INTERVALS: From							ft. to		
		CK INTERVALS: From									
		L: Neat cement								• • • • • • • • • • • • • • • • • • • •	
		ft. toe contamination:	π., From	II. to		π., From .	II. to)	II.		
☐ Septic Ta		Lateral Line	s 🔲 Pit Priv	v		Livestock Per	ns 🗆	Insecticide	e Storage		
Sewer Lin		☐ Cess Pool	☐ Sewage			Fuel Storage					
	□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
☐ Other (Sp	pecify)										
Direction from well? Distance from well?											
10 FROM	TO	LITHOLOG	GIC LOG	FR	OM	TO	LITHO. LOG (cont.) or PI	LUGGIN	G INTERVALS	
				• •							
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief											
Kansas Water	under my jurisdiction and was completed on (mo-day-year)										
under the business name of											
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.											
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
Visit us at http	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1403996

Litholgy

From	То	LithologicLog
0	2	surface
2	78	brown clay caliche few sands
78	122	sand fine to med
122	255	sand fine to med coarse, small to large gravel
255	284	brown clay, some sand
284	306	sand fine to med few clay
306	374	brown clay, few lime rock, few sand
374	395	sand fine, few clay
395	458	brown clay, few lime rock,silty sand
458	470	sand silty to very fine, some clay
470	479	brown sandy clay silty sands
479	491	sand silty clay mixed
491	504	brown clay, silty sand
504	564	soapstone, sand stone, lime rock
564	565	lime stone
565	671	shale, lime stone
671	686	shale, few sand stone
686	700	shale, sand stone
700	719	soap stone, shale
719	754	shale, sandstone
754	767	soapstone, sandstone
	•	•

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1403996

Litholgy

From	То	LithologicLog
767		soapstone, Ilime stone red bed
777	800	red bed