


1 LOCATION OF WATER WELL: County: Grant Fraction: SE 1/4 SE 1/4 SW 1/4 Section Number: 34 Township Number: T 27 S Range Number: R 35 E

Distance and direction from nearest town or city street address of well if located within city?
From Ulysses, 12 miles east, 6 miles north then 1/2 mile east.

2 WATER WELL OWNER: Tony Nichols
 RR#, St. Address, Box #: 12430 E.Rd. 7
 City, State, ZIP Code: Ulysses, KS. 67880
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 440' ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. _____ ft. 2. _____ ft. 3. _____ ft.
 WELL'S STATIC WATER LEVEL: 298' ft. below land surface measured on mo/day/yr 10-25-95
 Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm
 Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm
 Bore Hole Diameter: 9 7/8" in. to _____ ft., and _____ in. to _____ ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes _____ No ; If yes, mo/day/yr sample was submitted _____
 Water Well Disinfected? Yes No _____

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) _____
 2 PVC 4 ABS 7 Fiberglass _____
 Blank casing diameter: 5" in. to 440' ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.
 Casing height above land surface: 12" in., weight _____ lbs./ft. Wall thickness or gauge No. SOR 17
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) _____
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) _____
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) _____
 SCREEN-PERFORATED INTERVALS: From 300' ft. to 320' ft., From 420' ft. to 440' ft.
 GRAVEL PACK INTERVALS: From 24' ft. to 440' ft., From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____
 Grout Intervals: From 4' ft. to 24' ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) _____
 13 Insecticide storage _____
 Direction from well? _____ How many feet? _____

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Topsoil	264	308	Brown clay
1	30	Brown clay	308	312	Med. Sand
30	40	White clay	312	328	Brown clay
40	50	Fine sand & brown clay layers	328	362	Med. sand & brown sandy clay
50	60	Brown clay	362	370	Brown sandy clay
60	80	Fine sand & caliche layers	370	440	Med. sand & brown sandy clay
80	120	Med. Sand			
120	142	Med. sand & brown clay mixed			
142	168	Brown clay & bluish clay			
168	180	Med. sand			
180	192	Fine sand			
192	200	Brown clay			
200	204	Med. sand & sandrock ledge			
204	233	brown clay			
233	264	Med. sand & brown sandy clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-12-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 533 This Water Well Record was completed on (mo/day/yr) 12-6-96 under the business name of Santzen Water Well Repair by (signature) [Signature]