


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Grant	Section SE 1/4 NE 1/4 NW 1/4	Section number 12	Township number T 27 S R 35	Range number X/W
2. Distance and direction from nearest town or city: Street address of well location if in city: 18 N. - 6 1/2 W Satanta			3. Owner of well: Tommy Lewis R.R. or street: Satanta, Kansas City, state, zip code:			
4. Locate with "X" in section below: Sketch map: 			6. Bore hole dia. 9 7/8 in. Completion date 1-26-76 Well depth 384 ft.			
5. Type and color of material			7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
			9. Casing: Material RMP Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 220 lbs./ft.			
			Dia. 5 in. to 384 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gauge No. 320			
			10. Screen: Manufacturer's name Jess & Lowell Type RMP Dia. 5 " Slot/gauze 1/8" Length 100 " Set between 177-284 ft. and 384 ft. Gravel pack? yes Size range of material 3/16"			
Top soil			From	To	11. Static water level: 107 ft. below land surface Date 1/12/76	
Tan clay			0	3	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.	
Med. to lar. sand, gravel with small clay streaks			3	70	13. Water sample submitted: XX No Date	
Tan clay			70	155	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 inches above grade	
Med. to lar. sand & gravel			155	157	15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
Blue clay			157	210	16. Nearest source of possible contamination: none ft. Direction Type Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Med. to lar. sand & gravel			210	225	17. Pump: Goulds Not installed Manufacturer's name Goulds Model number VT S HP 5 Volts 220 Length of drop pipe 168 ft. capacity 30 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
Clay, med. to lar. sand & gravel			225	282	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name License No. Address Moade, Kansas Signed [Signature] Date 2-20-76 Authorized representative	
18. Elevation:			19. Remarks:			
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5