WATER WELL RECORD						Division of Water Resources; App. No. 22,271				
		WATER WELL:	~-	NIE	NINN/	Section N	lumber	Townsh	ip Number	Range Number
County:	nd directio	Grant n from nearest town	or city stre	NE ¼	of well if	Clobal Po	citionin	T System	(decimal dear	R 35 EW
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city? From Ulysses, approx. 10 mi. East & 7 mi. North Latitude: 37.68895										
						Longitud	e: 101	.17363		
		OWNER: Denise				Elevation	ı:			
City S	it. Address,	Box # : 445 SE ode : Pratt, K	Park Hills	Dr		Datum: Data Coll	laction l	Mathadi (	CDC	
3 LOCA	TE WELL	2'S 4 DEPTH OF	COMPL	ETED WE	LI. 503	Data Con	iection i	ft.	Jrs	
LOCA	TON	. DEI III OI	COMIL	DILLD WE	<u> </u>			16•		
l .	AN "X" I	N Depth(s) Groun	ndwater En	countered 1			ft. 2		ft. 3	ft.
SECT	ION BOX:	WELL'S STAT	TIC WATE	ER LEVEL	332	ft. below la	and surf	ace measu	red on mo/d	ft. ay/yr <b>3/25/2009</b>
x	N	Pump	test data:	Well water	er was	417 ft	. after	4	hours pumpi	ng 717 gpm
i		Est. Yield	gpm:	Well water	er was	ft	. after		hours pumpi	ng gpm
NV	- NW NE -   WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domostic 2 Food let 6 Oil field water symply 0 Downtoning 12 Oil w (Survice Labora)										
Was a chemical/bacteriological sample submitted to Department? Yes No x; If yes, mo/day/yrs										
	S									x No
5 TYPE	OF CASI	NG USED: 5	Wrought I	ron	8 Conc	rete tile	CAS	SING JOI	NTS: Glued	Clamped
(1)Ste	ei	3 RMP (SR) 6	Asbestos-	Cement	9 Other	(specify be	elow)		Welde	d <u>x</u>
Dlonk opp	ina diamata	4 ABS 7	Fibergiass	A Die			ā	D:-	Thread	led
Cosing height above land surface 12 in Weight 42 lbs /A Well 41: Lbs - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -										
2 PVC 4 ABS 7 Fiberglass Threaded  Blank casing diameter 16 in. to 503 ft., Dia in. to ft., Dia in. to ft.  Casing height above land surface 12 in., Weight 42 lbs./ft. Wall thickness or gauge No250  TYPE OF SCREEN OR PERFORATION MATERIAL:  (1) Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specific)										
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous State 1 Mole State 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)  2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
SCREEN-	PERFORA	TED INTERVALS	From	382	ft. to	412	ft. F	rom 4	<b>428</b> ft. to	438 ft.
			From	458	ft. to	498	ft. F	rom	ft. to	ft.
GR	AVEL PAG	CK INTERVALS:	From	20	ft. to	355	ft. F	rom	ft. to	ft.
			From		ft. to		ft. F	rom	ft. to	ft.
6 GROU	JT MATE	RIAL: 1 Neat cen	nent 2 C	ement grou	t (3)Ber	tonite	4 Othe	r	·· • · · · · · · · · · · · · · · · · ·	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.										
what is the nearest source of possible contamination:										
	tic tank	4 Lateral li				tock pens		secticide S		16 Other (specify
	er lines	5 Cess poo	l 8 Sew	age lagoon					water well	below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Direction from well? 280 How many feet? East										
FROM	TO		OCICIO	·····	-		#3f	DT ***	ODIO DIO	DYTAY A
0	2	Top Soil	LOGIC LC	<u> </u>	FROI	M TO	+	PLUC	GING INTE	RVALS
2	37	Brown Clay, Calic	he Sand				+		· · · · · · · · · · · · · · · · · · ·	
37	75	Fine Sand, Mixed					<b>†</b>	······································		
75	110	Fine to Medium C					1			
110	355	Fine- Med. Coarse	Sand, Gr	avel Ledge	s					
355 364	364	Brown Clay, Sluff	ing Grave	<u> </u>			<b>_</b>			
375	375 382	Fine to Medium C Brown Clay, Sluff		<u>u</u>					<del></del>	
382	403	Fine to Medium C		d				<del></del>		1
403	410	Cemented Sand, S	andy Clay					·· ·		
410	430	Brown Clay, Few	Limerock							
430	437	Fine to Medium S	and, Few (	Coarse						
437 454	454 498	Brown Sticky Clay Fine to Medium C		d S C	vol		+		***************************************	
498	503	Yellow Soapstone	VALSE SHII	u, siii Gra	v Cl		+			
							1			· · · · · · · · · · · · · · · · · · ·

TONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/18/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/year) 4/2/2009 under the business name of Henkle Drilling & Supply Co., Inc. by (signature) The Contractor of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.