WATER	WELL F	RECORD	Forn	n WWC-5	Divisi			ources; App. No. 90				
		ATER WELL:	Fraction	NIW / N	Se	ection Nu	umber	Township Numl	ber Ra	inge Number		
County: Grant NE 1/4 NW 1/4 NW 1/4 34 T 27 S R 35 W Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)												
located within city? 11 East and 5 North of Ulvsses Latitude:												
Longitude:												
2 WATE	2 WATER WELL OWNER: Todd Nichols							Elevation:				
RR# St	Address F	ox # · 13792	ERd7			atum:						
City, St	ate, ZIP Coo	le : Ulysse	s, KS 67880)	D			Method:				
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 654 ft.												
LOCA									_			
WITH	AN "X" IN	Depth(s) Grou	ndwater End	countered l			ft. 2	ft. ace measured on r	. 3	tt.		
SECTI	ON BOX:	WELL'S STA	TIC WATE	R LEVEL	ft.	below la	nd surfa	ace measured on r	no/day/y	r		
	N	Pum	p test data:	Well water	was	ft.	after	hours pu	ımping	gpm		
		Est. Yield	gpm:	Well water	was	ft.	after	hours pu	ımping	gpm		
I LNW		WELL WATE	R TO BE U	SED AS: 5	Public wate	er supply	/ 8 A i	ir conditioning 1	1 Inject	ion well		
		_ 1 Domestic 3	Feed lot	6 Oil field v	vater supply	/	9 Dew	vatering 12	Other (S	Specify below)		
W		E 2 Irrigation 4	Industrial	7 Domestic	(lawn & ga	rden)	10 Mon	nitoring well				
-sw $-sE$												
Sample was submitted Water Well Disinfected? Yes x No												
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded x Threaded												
5 TYPE OF CASING USED: 5 Wrought from 6 Concrete the Casing John 15. Gladed Clamped												
1 Stee	<u>el</u> 3	KMP (SK) 0	Aspestos-V	Cement	9 Ouici (sp	beeny be	iow)	** Ti	readed.			
2 PV	C 4	ABS /	Fibergiass	o Di-			<u>.</u>	Die	in to			
Blank casing diameter 16 in. to 654 tt., Dia in. to tt., Dia in. to tt., Dia in. to												
2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 16 in. to 654 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 12 in., Weight lbs./ft. Wall thickness or gauge No250												
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
I												
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)												
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)												
SCREEN-PERFORATED INTERVALS: From 374 ft. to 414 ft. From 454 ft. to 494 ft.												
From 534 ft. to 574 ft. From 614 ft. to 654 ft.												
GRAVEL PACK INTERVALS: From 25 ft. to 654 ft. From ft. to ft.												
			From		ft. to		ft. F	rom	ft. to	ft.		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other												
6 GROU	IWAIER	IAL: I Near ce	. 25 f	t From	5 Dentoi	0	f	From	ft 1	to ft.		
Grout Intervals From 0 ft. to 25 ft. From ft. to ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination:												
		irce of possible co	inas 7 Dit n	ı. Tiva	Λ Livestor	k nens	13 Ins	secticide Storage	16	Other (specify		
	1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)											
2 Sew	er iines									001011)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? 12 Fertilizer storage 15 Oil well/ gas well How many feet? NA												
							T	PLUGGING	INITEDA	AIC		
FROM	TO		LOGIC LC		FROM 600	TO 654	Fine (Cm Sand and Cla				
0		Fopsoil and Brow Brown and Blue	Clay and S	and Strooks	000	034	1.1116	om Sanu anu Clè	., Strea			
230		Fine to Medium		anu Sueaks	+		-					
260 276	276 300	Brown Sandy Cla	v and San	l Streaks	+							
300	440	Sand Medium to	Coarse Litt	tle Cm Sand								
440		Brown Clay										
450	535	Fine to Medium S	Sand Little	Clay								
535		Cm Sand										
540		Blue Clay										
574	600	Sand Stone				<u> </u>				1 (2) 1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged												
under my jurisdiction and was completed on (mo/day/year) 6/5/09 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 473 under the business name of Tyler Water Well Inc by (signature) This Water Well Record was completed on (modday/year) 6/22/09 by (signature)												
under the b	usiness name	of Tyler Water	Well Inc							rean of Wat		
INSTRUCT	IONS: Please	fill in blanks or circle	the correct ans	swers. Send top	three copies to) Kansas D 85-296-552	Departmer 22 Send	nt of Health and Environe to WATER WEL	onment, Bi L OWNER	neau or water, and retain one for		
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top time copies to Kansas Department of Treatment and Relational Federal Communication of Cooling Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.												
your records	. 100 01 00.00											