

		RECORD		WWC-5		4845		sion of Wate				
Original Record Correction Change in Well Use					Resources App. No. Well ID							
1 LOCATION OF WATER WELL: Fraction				/ 1/	Section Number Township Number Range Number							
County: 1/4 1/4 T							- ~	R				
						treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:						
Address:						direction	from ne	earest town of	r intei	section): If at owner	s address	, check here:
Address:												
City:												
3 LOCAT	E WELL						C.					
WITH "	X" IN						ft. 5 Latitude :(decimal degrees)					
	ON BOX:			Encountered			Dry Well Datum: WGS 84 NAD 83 NAD 27					
1	Ν										NAD 27	
	WELL'S STATIC WATER LEVEL:						Source for Latitude/Longitude:					
NW	NE			, measured of				$(WAAS enabled? \square Yes \square No)$				
				vater was					\Box Land Survey \Box Topographic Map			
w	E	after	hours	s pumping .		gpm						
			Well v	vater was		ft.						
SW	SE			s pumping .	• • • • • • • • • • • • • • • •	gpm		6 Elovo		. £		
		Estimated Y					6 Elevation:ft. Ground Level					
	S	Bore Hole I	Bore Hole Diameter: in. to							E: ☐ Land Survey ☐ GPS ☐ Topographic Map ☐ Other		
1 r				in.	to	It.				Oulei	•••••	
		O BE USED			11 115							
1. Domestic:				ter Supply:				10. 📋 Ot	11 F1e	ld Water Supply: lea	ase	•••••
☐ Housel ☐ Lawn d				echarge: we			11. Test Hole: well ID					
				g: well ID						al: how many bores		
2. Irrigati				al Remediat						Loop 🗌 Horizonta		
3. \Box Feedlo] Air Sparge		Soil Vapor							
4. Industr			Recovery		Injection	Linueno	traction b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
		riological sa					No			nple was submitted		
		? \Box Yes \Box		niteu to K			INO	II yes, uau	e sai	ipie was sublittee		
							ACIN	CIONTS	·.	Glued Clamped	D W-14	- J 🗖 Thursdad
										in. to		
		surface								or gauge No		
		R PERFORA				10	., 10.	vv un unei	diebb	of gauge 110.		
		inless Steel	Fiber		D PVC			□ Otł	her (S	Specify)		
		vanized Steel				used (ope	n hole)			,peeny)		
		RATION OPE										
	nuous Slot	☐ Mill Slot		auze Wrapp	ed 🗆 T	orch Cut	Dr	illed Holes		Other (Specify)		
Louve	ered Shutter	Key Punc						one (Open H				
SCREEN-H	PERFORAT	ED INTERV	ALS: Fron	n f	ft. to	ft., F	rom	ft. to	o	ft., From	ft. t	o ft.
G	RAVEL PA	CK INTERV	ALS: From	n t	ft. to	ft., F	rom	ft. to	o	ft., From	ft. t	o ft.
9 GROUT	MATERI	AL: 🗌 Neat	cement] Cement gr	out 🗌 B	entonite	Ot	her				
				ft., From .		. ft. to		ft., From		ft. to	ft.	
		le contaminati										
			Lateral Line		Pit Privy			livestock Pe		Insectici		
Sewer			Cess Pool		Sewage L			fuel Storage				
	ight Sewer L		Seepage Pit		Feedyard		Πŀ	Fertilizer Sto	orage	□ Oil Well	l/Gas Wel	1
										ft.		
10 FROM	TO		LITHOLO			FRC		ТО		HO. LOG (cont.) or	DULICGU	NG INTERVALS
IU PROM	10					TRU	IVI	10			LUUUI	NO INTERVALS
						Note	g•					
Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Wa	ter Well Co	ntractor's Lic	ense No.		This W	ater Wel	l Reco	ord was con	mple	ted on (mo-day-ye	ar)	-50 una bener.
under the b	usiness nan	ne of							- 			
under the business name of												
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at h	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1324845

Litholgy

From	То	LithologicLog
0	2	top soil
2	23	brown sandy clay
23	40	fine sand w/ few clay ledges
40	97	sand fine few med w/ couple clay stringers
97	154	sand fine to med coarse small med large gravel
154	162	brown sandy clay w/ couple sand strips
162	230	sand fine to med coarse small med large gravel
230	241	brown sandy clay
241	282	sand fine to med coarse small med gravel w/ couple clay ledges
282	295	brown & light blue sandy clay w/ many sand strips
295	368	sand fine to med coarse small gravel
368	386	sand fine to med coarse w/ few clay stringers
386	398	brown sandy clay w/ few sand strips
398	426	fine sand w/ couple clay stringers
426	440	fine sand w/ some clay stringers
440	460	fine sand w/ some clay stringers

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1324845

Litholgy

From	То	LithologicLog
460	476	sand fine few med
476	495	sandstone
495	520	sandstone w/ some soapstone
520	621	shale w/ some soapstone
621	665	sandstone & few shale strips
665	750	sandstone
750	760	red bed