WATER WELL R				ision of Water		Well ID
I LOCATION OF WATER WELL: Fraction				Resources App. No. Well ID Section Number Township Number Range Number		
$\begin{array}{c} \text{County: Grant} \\ \text{County: Grant} \\ \text{County: Grant} \\ \text{SW } \frac{1}{4} \text{ NW } \frac{1}{4} \text{ SE } \frac{1}{4} \text{ SW } \frac{1}{4} \\ \text{SW } \frac{1}{4} \text{ NW } \frac{1}{4} \\ \text{SE } \frac{1}{4} \text{ SW } \frac{1}{4} \\ \text{SW } \frac{1}{4} \text{ SE } \frac{1}{4} \\ \text{SW } \frac{1}{4} \\$						
2 WELL OWNER: La	ast Name: Smith	First: Brian	Street or Ru	ral Address wh	here well is located	(if unknown, distance and
Business: Tri Rotor Address: 9991 N. Rd	E		direction from	nearest town or in	tersection): If at owner	r's address, check here: 🗌
Address: 9991 N. Ro Address:	5		From Inters	From Intersection of Road North, and Road S and 5 Road.		
City: Ulvsses	State: Ks	ZIP: 67880	3 Miles Nor	th.		
3 LOCATE WELL	4 DEPTH OF CON	APLETED WELL:		5 Latitud	e: 37.72408	39(decimal degrees)
WITH "X" IN SECTION BOX:	Depth(s) Groundwater	Encountered: 1)3	38 ft.	Longitu	de: 101.194	819(decimal degrees)
N SECTION BOX:	2) ft.	3) ft., or 4)	Dry Well	Datum:	Z WGS 84 🛛 NAI) 83 🔲 NAD 27
	WELL'S STATIC WA	TER LEVEL:	20ft.) 06/22/2018	Source for	or Latitude/Longitude:	
NW NE	\square above land surface	e, measured on (mo-day-	vr)		(WAAS enabled?) Yes □ No)
		vater was f			i Survey	
E E		s pumping				
sw se		water was1 s pumping				
	Estimated Yield:)gpm				Ground Level 🔲 TOC
S	Bore Hole Diameter:	10.5 in to 680		Source:	\Box Land Survey \Box	GPS 🔲 Topographic Map
1 mile		in. to	ft.	1		
7 WELL WATER TO		atan Sumalan mali ID			iald Water Supply: la	ease
1. Domestic:		ater Supply: well ID 1g: how many wells?		11. Test Ho	le: well ID	asc
Lawn & Garden		echarge: well ID				
		ig: well ID		12. Geother	mal: how many bores	?
2. ☐ Irrigation 3. ☐ Feedlot		al Remediation: well II			ed Loop 🔲 Horizont	al 🔲 Vertical scharge 🔲 lnj. of Water
4. Industrial	Recovery	e 🔄 Soil Vapor 🛾	Extraction			
Was a chemical/bacter			Ves 7 No			d:
Water well disinfected?	V Yes I No			-	-	
8 TYPE OF CASING	USED: Steel V PV	C 🗌 Other	CASR	NG JOINTS:	Glued Z Clamped	1 🗌 Welded 🗌 Threaded
Casing diameter	in. to	, Diameter	in. to	ft., Diamet	er in. to	ft.
Casing height above land s	urface	n. Weight	lbs./ft.	Wall thickne	ss or gauge No. SDR	.17
TYPE OF SCREEN OR	less Steel			7 Other	(Specify)	Certalok
		5 =	ised (open hole		(Speeny)	
SCREEN OR PERFOR	ATION OPENINGS A	RE:	(- F	- /		
Continuous Slot	☐ Mill Slot ☐ G	auze Wrapped 🛛 To	orch Cut	rilled Holes	Other (Specify)	
SCREEN-PERFORATE	Key Punched W	Vire Wrapped 🛛 🖉 Sa w 420 Ato 520	w Cut ∐ N	Ione (Open Hole	e) 580 & Erom	ft to ft
GRAVEL PAC	CK INTERVALS: From	n = 0 ft to 10	ft. From	40 ft to	680 ft. From	
9 GROUT MATERIA	L: Neat cement	Cement grout V Be	entonite $\Box C$	Other		
9 GROUT MATERIAL: □ Neat cement □ Cement grout ☑ Bentonite □ Other Grout Intervals: From						
Nearest source of possible contamination:						
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage ☑ Abandoned Water Well						
☐ Watertight Sewer Lin						
☐ Other (Specify) Direction from well? Southwest Distance from well? 80						
10 FROM TO						PLUGGING INTERVALS
	LITHOLO Attached	GIC LUG	FROM		THO. LOG (cont.) or	PLUGGING INTERVALS
					· · · · · · · · · · · · · · · · · · ·	
						······································
			Natar			
Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖉 constructed, 🗌 reconstructed, or 🗌 plugged under my jurisdiction and was completed on (mo-day-year) .06/22/2018 and this record is true to the best of my knowledge and belief.						
under my jurisdiction an	id was completed on (r	no-day-year) .06/22/2	018 and	this record is t	rue to the best of m	y knowledge and belief.
under the business name	Kansas Water Well Contractor's License No. 846					
	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-35 Visit us at http://unay.kdbaka.gov/ustaruall/index.html						
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212						

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Brian Smith	
Doc ID	1414392	

Litholgy

0	25	TOP BROWN CLAY, WITH FINE SAND
25	37	FINE SAND
37	43	FINE SAND, WITH BROWN CLAY
43	67	FINE SAND
67	72	FINE SAND, WITH BROWN CLAY
72	100	FINE COARSE SAND
100	120	FINE COARSE SAND, SMALL TO LARGE GRAVEL
120	140	FINE COARSE SAND, SMALL TO LARGE GRAVEL WITH COBBLE
140	190	FINE COARSE SAND, WITH STREAKS OF SMALL/MEDIUM GRAVEL
190	200	FINE COARSE SAND, WITH TAN CLAY
200	240	FINE COARSE SAND, WITH SMALL GRAVEL AND TAN/BROWN CLAY STREAKS
240	300	FINE COARSE SAND, WITH SMALL TO LARGE GRAVEL, AND SOME COBBLE
300	320	FINE COARSE SAND, WITH SMALL/LARGE GRAVEL AND COBBLE ROCK

Grant SWNWSESW 6-27-35W

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Brian Smith	
Doc ID	1414392	

Litholgy

320	330	TAN CLAY, FINE COARSE SAND
330	345	FINE COARSE SAND, WITH SMALL GRAVEL STREAKS
345	380	FINE COARSE SAND, WITH TAN CLAY LAYERS TIGHT
380	400	TAN/WHITE CLAY STICKY, WITH FINE SAND STREAKS
400	440	TAN STICKY CLAY, WITH FINE SAND STREAKS
440	450	ROCK, FINE MEDIUM SAND
450	460	TAN/BROWN CLAY, WITH FINESAND STREAKS
460	478	TIGHT CLAY, AND SANDSTONE STREAKS
478	520	BLUE/GRAY CLAY, WITH GRAY SANDSTONE
520	580	BLUE/GRAY CLAY, ROCK LAYERS, AND THINK STREAKS OF SANDSTONE
580	660	GRAY SANDSTONE
660	700	BLUE SHALE, WITH GRAY SANDSTONE LAYERS