KOLAR Document ID: 1532957

WATER WELL RECORD ☐ Original Record ☐ Correction ☐ Change in Well Use						Division of Water Resources App. No.				   Well I	_ [		
1 LOCATION OF WATER WELL: Fraction				FF.				ge Number					
County: 14 14 14					Secti	T S R $\square$ E $\square$ W							
·					Street or	treet or Rural Address where well is located (if unknown, distance and							
Business:						direction fr	irection from nearest town or intersection): If at owner's address, check here:						
Address:													
Address: City: State: ZIP:													
3 LOCATE	WELL												
	WITH "X" IN SECTION POY.  4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)												
SECTION	N BOX:			Encountered: 3) f			2018 (decimal degrees)						
N												AD 27	
	WELL'S STATIC WATER LEVEL:below land surface, measured on (mo-day-yr							<u>Latitude/Longitude</u> unit make/model:			,		
NW	NE			measured or						WAAS enabled?			
	ï	_		rater was ft.			☐ Land			Survey Topographic Map			
w k	E	after		pumping gpm ater was ft.				☐ Online Mapper:					
sw	SE	ofter		vater was s pumping									
	1	Estimated Y					<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC						
S				in. to		ft. and		Source: Land Survey			GPS [	] To	pographic Map
1 mi	ile			in. to						Other			
7 WELL W	VATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: v						eld Water Supply: 16			
Househo				g: how many									
Lawn &				echarge: wel						Uncased (			
☐ Livestoc  2. ☐ Irrigatio				g: well ID						al: how many bores			
3. ☐ Feedlot	'11		] Air Sparge		ediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industria	al		Recovery		jection					(specify):			
Was a chem	nical/bacteri	iological san	nple subm	itted to KD	HE? $\square$	Yes □ N	lo ]	If yes, date	e sar	nple was submitte	:d:		
Water well d					_	_		•		ı			
8 TYPE OF	F CASING	USED: □ S	teel PV	C  Other .		CA	SIN	G JOINTS	:	Glued Clamped	d □ We	lded	☐ Threaded
										in. to			
Casing height						lbs./	ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SO			TION MA							7 (0)			
☐ Steel ☐ Brass	_	less Steel anized Steel			□ PVC	ised (open	hala)	☐ Oth	ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••
SCREEN OI	_		NINGS AI		☐ Nolle (	iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrapped	а Пто	orch Cut [	□ Dri	illed Holes	П	Other (Specify)			
☐ Louvere		☐ Key Punch						ne (Open H					
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı ft.	to	ft., Fro	m	ft. to	o	ft., From	ft	. to .	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.									ft.				
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other													
Grout Intervals: From													
Nearest source of possible contamination: No potential source of contamination within 200 ft.  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Septic Talik ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertig	ght Sewer Lin	es 🗆 S	Seepage Pit	□ F	Feedyard			ertilizer Sto					
Other (S	pecify)												
Direction from well? Distance from well  10 FROM TO LITHOLOGIC LOG									1111	S DIEEDII I G			
10 FROM	TO		THOLOG	ilC LOG		FROM	1	TO	LH	HO. LOG (cont.) or	PLUGC	iINC	INTERVALS
							+						
											-		
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged													
under my jui	under my jurisdiction and was completed on (mo-day-year)												
Kansas Wate	er Well Con	tractor's Lice	ense No		This W	ater Well	Reco	rd was cor	nple	eted on (mo-day-y	ear)		
under the bu	siness name	of	****	TT 1 011				1 5 22				<u></u>	
under the business name of													
Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212													

Form	WWC5			
Contractor	Downey Drilling, Inc. #748			
Well Owner				
Doc ID	1532957			

## Lithology

To 20 32 71	SANDY CLAY FINE SAND
32	
	FINE SAND
71	
	FINE SAND W/ SANDY CLAY
96	F/M/C SAND, FINE GRAVEL
140	F/M/C SAND, F/M GRAVEL
159	F/M/C SAND, FINE GRAVEL
301	F/M/C SAND, F/M GRAVEL
316	F/M/C SAND, TR SC
321	SANDY CLAY
348	F/M/TR C SAND
364	SANDY CLAY W/ FINE SAND
378	F/M SAND
384	SANDY CLAY
406	FINE SAND, TR. SC
439	CLAY, SANDY CLAY, TR. SAND
471	SANDSTONE & BR. ROCK W/ SOAPSTONE LAYERS
474	SHALE
506	SANDSTONE W/ TR. SHALE LENSES
511	SHALE
594	SHALE, SS
634	SANDSTONE, TR. BR. ROCK
655	SHALE
	96 140 159 301 316 321 348 364 378 384 406 439 471 474 506 511 594 634

Form	WWC5	
Contractor	Downey Drilling, Inc. #748	
Well Owner		
Doc ID	1532957	

## Lithology

From	То	LithologicLog
655	675	SANDSTONE
675	700	SOAPSTONE & SS STRIPS
700	719	SANDSTONE
719	725	SS & SOAPSTONE
725	760	SANDSTONE
760	770	RED BED