

**WATER WELL RECORD      Form WWC-5**☐ Original Record    ☐ Correction    ☐ Change in Well Use

Division of Water  
Resources App. No.

Well ID

[illegible]

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	JOHN ENSZ
Doc ID	1572113

#### Lithology

From	To	LithologicLog
0	4	TOPSOIL
4	38	SILTY BR. CLAY
38	67	CLAY W/ FINE SAND
67	89	F/M/C SAND
102	149	F/M GRAVE W/ F/M SAND
149	165	YEL CLAY W/ LAYERS OF SAND
165	172	YEL CLAY
172	178	F/M/C SAND
178	185	YEL CLAY
185	205	F/M SAND W/ MED/LARGE GRAVEL
205	216	F/M SAND W/ SANDY CLAY LAYERS
216	246	F/M/C SAND
246	270	YEL TAN W/ GRAY CLAY
270	326	F/M SAND W/ MED GRAVEL & CEM SAND
326	334	SANDY CLAY
334	342	F/M/C SAND
342	351	FINE SAND
351	358	F/M/C SAND
358	364	SANDY CLAY
364	381	FINE SAND W/ LIMEROCK
381	444	SANDY CLAY W/ F. SAND & LIMEROCK

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	JOHN ENSZ
Doc ID	1572113

#### Lithology

From	To	LithologicLog
444	467	FINE SAND W/ BR ROCK & OR. CLAY
467	480	FINE SAND
480	513	BR. ROCK W/ SS & F. SAND
513	517	YEL SANDY CLAY
517	532	BR ROCK W/ SS & F. SAND
532	540	GRAY CLAY
540	542	FINE SAND & BR ROCK
542	549	GRAY CLAY
549	559	BLUE SHALE
559	563	SS W/ FINE SAND
563	577	BLUE SHALE
577	597	SHALE W/ SS LAYERS
597	605	SS W/ IRON PYRITE
605	652	SHALE W/ GRAY SOAPSTONE & SS
652	662	WHITE SOAPSTONE W/ SS & SHALE
662	674	FINE SAND W/ SS
674	685	GR. CLAY
685	729	SS W/ FINE SAND & IRON PYRITE
729	735	RED CLAY W/ RED SS