## KOLAR Document ID: 1603073

	WELL R			WWC-5		vision of Wat				
		Correction		ge in Well Use		ources App. 1			Well ID	
	FION OF W	ATER WEI	.L:	Fraction		ction Numb	er	Township Numb		ge Number
Count				1/4 1/4 1/4	1/4			T S	R	$\Box E \Box W$
	OWNER: L	ast Name:						re well is located	· ·	
Business: directi Address:					direction from	rection from nearest town or intersection): If at owner's address, check here:				
Address:										
City:			State:	ZIP:						
3 LOCAT	E WELL						_			
WITH "	X" IN			IPLETED WELL:						-
SECTIC	ON BOX:			Encountered: 1)			Longitude:(decimal degrees)			
1	N			3) ft., or 4) □ TER LEVEL:						
				, measured on (mo-day-		Source for Latitude/Longitude: GPS (unit make/model:)				
- NW	NE			, measured on (mo-day-			(WAAS enabled? Ves No)			
	NE			vater was ft			Land Survey Topographic Map			
w	E	-		s pumping			□ Online Mapper:			
CW				vater was ft				11		
Sw	SE			s pumping	gpm	6 Flow	otion	. <i>f</i> 4	Crownd	
		Estimated Y						Land Survey		
	S	Bore Hole I		in. to		<u>30010</u>		Other		
1 r		DE LIGED		in. to	II.			Ouler	•••••	
	WATER TO			ten Complex and ID			1.1 17: -	14 Water Complex 1		
1. Domestic				ter Supply: well ID				eld Water Supply: le		
☐ House ☐ Lawn				ig: how many wells? echarge: well ID						
				g: well ID				al: how many bores		
2. 🗌 Irrigati				al Remediation: well ID				Loop Horizont		
3. $\Box$ Feedlo			Air Sparge					Loop 🗌 Surface Di		
4. 🗌 Industr			Recovery					(specify):		
Was a che	mical/hacter	iological sar	nnle subm	nitted to KDHE?	Ves 🗆 No					
	disinfected?					11 yes, uu	ie sui	ipie was subline	u	
				C 🗌 Other	CASI	NG IOINT	<u>c.</u>	Glued Clamped	Woldow	1 🗆 Threaded
				Diameter						
				. Weight				or gauge No		
	SCREEN OR				1000/10			or gauge rior mini		
□ Steel		less Steel				□ Ot	ther (S	Specify)		
Brass		anized Steel		None us	sed (open hol			1 57		
SCREEN O	OR PERFOR	ATION OPE	NINGS A							
Contin	nuous Slot	I Mill Slot	G	auze Wrapped 🛛 🗌 To:	rch Cut 🔲 🛙	Drilled Holes		Other (Specify)		
		Key Puncl				None (Open I				
				n ft. to						
G	RAVEL PAC	CK INTERV	ALS: Fron	n ft. to	ft., From .	ft. 1	to	ft., From	ft. to	ft.
				Cement grout 🛛 Ber						
				ft., From f			ı	ft. to	ft.	
	rce of possibl			potential source of cont						
☐ Septic ☐ Sewer			Lateral Line			Livestock P			cide Storage	
	Lines ight Sewer Lir		Cess Pool	☐ Sewage Lag ☐ Feedyard		Fuel Storage Fertilizer St			ll/Gas Well	wen
			Seepage Pit			r er unzer St	orage		n/Gas well	
				Distance from we				ft		
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		GINTERVALS
		-								
	<u> </u>						1			
	<u> </u>									
							1			
							1			
							1			
	<u> </u>				Notes:		1			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.										
Kansas Wa	Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year) under the business name of									
under the b	usiness name	<u>e of</u>				· · · · · · · · · · · · · · · · · · ·				
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1567. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1603073

## Lithology

From	То	LithologicLog
0	2	TOPSOIL
2	20	SANDY CLAY
20	32	SANDY CLAY W/ CALICHE LAYERS
32	62	TAN CLAY
62	114	SANDY CLAY
114	168	F/M SAND W/ SM. GRAVEL
168	181	SANDY CLAY
181	208	F/M SAND W/ SM GRAVEL & FEW CLAY LAYERS
208	219	F/M SAND W/ GRAVEL & CLAY
219	238	F/M SAND W/ GRAVEL & CLAY
238	247	FINE SAND W/ SANDY CLAY
247	259	F/M SAND W/ SM GRAVEL
259	373	F/M/C SAND
373	420	F/M/C SAND W/ SM. GRAVEL
420	431	SANDY CLAY
431	448	F/M SAND
448	459	SAND/SANDY CLAY
459	475	FINE SAND
475	511	SANDSTONE W/ BR ROCK
511	520	CLAY
520	528	FINE SAND

Form	WWC5		
Contractor	Downey Drilling, Inc. #748		
Well Owner			
Doc ID	1603073		

## Lithology

From	То	LithologicLog
528	600	SHALE
600	613	SHALE
613	640	FINE SAND, TR SS
640	665	SHALE
665	685	FINE SAND, TR SS
685	688	SHALE
688	695	SS W/ FINE SAND