

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County GRANT	Fraction 1/4 1/4 SW 1/4	Section number 9	Township number T 27 S R 36 E/W	Range number				
2. Distance and direction from nearest town or city: 1 mile south of county line 6 east 1/4 west 1/4 north of Lakin <small>Street address of well location if in city:</small>			3. Owner of well: Dale Corley R.R. or street: 612 Center City, state, zip code: Garden City, Ks. 67846						
4. Locate with "X" in section below: <div style="text-align: center;">N 1 Mile W <table border="1" style="display: inline-table;"><tr><td>NW</td><td>NE</td></tr><tr><td>SW</td><td>SE</td></tr></table> E S 1 Mile</div>			NW	NE	SW	SE	Sketch map:		
NW	NE								
SW	SE								
5. Type and color of material			From	To					
					6. Bore hole dia. 26 in. Completion date 5-11-76 Well depth 386 ft.				
					7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary				
					8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other				
					9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 86.87 lbs./ft. Dia. 16 in. to 387 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 250				
					10. Screen: Manufacturer's name Johnson Division Type Galv. Dia. 16 " Slot/gauze 100 Length 20 " Set between 310-320 ft. and 310-270 ft. Perf. 230-310, 310 and 320-320 340, 340-370. Gravel pack? yes Size range of material 2" Down 370-386				
					11. Static water level: <input type="checkbox"/> mo./day/yr. 191 ft. below land surface Date 4-15-76				
					12. Pumping level below land surfaces: 220 ft. after 3 hrs. pumping 1350 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.				
					13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No Date				
					14. Well head completion: Pitless adapter 12 inches above grade				
					15. Well grouted? yes With: Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.				
					16. Nearest source of possible contamination: N/A ft. Direction Type Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
					17. Pump: Not installed Manufacturer's name Goulds U S Pumps Model number HP Volts Length of drop pipe 300 ft. capacity 800 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other				
18. Elevation:			19. Remarks:						
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling 208 Business name P.O. Box A Garden City, Ks Address Signed Dee James Date 8-3-76 Authorized representative						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

The
Professionals

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Dale Gorley
Grant County
3-31-76

Location: SW $\frac{1}{4}$ 9-27-36 600' Northeast of Pivot

0	1	Top soil
1	38	Brown clay
38	80	Brown clay & fine sand
80	97	Brown clay
97	125	Med. to coarse gravel (loose)
125	146	Fine to med. sand & gravel,, 15% clay (loose)
146	155	Brown clay
155	185	Blue clay
185	200	Fine to med. sand & gravel, 10% clay (loose)
200	232	Fine to med. sand & gravel (loose)
232	245	Brown clay
245	260	Fine to med. sand & gravel (loose)
260	272	Fine to med. sand & fine gravel, 10% clay (loose)
272	320	Fine to med. sand & gravel (loose)
320	341	Fine to med. sand & fine gravel, 10% clay (loose)
341	350	.Brown sandy clay
350	386	Fine to med. sand & gravel (loose)
386	410	Brown sandy clay
410	446	Brown clay (sticky)
446	455	Brown, gray & yellow clay with brown rock (hard)