


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Grant County	Fraction 1/4 1/4 NE 1/4	Section number 14	Township number T 27 S R	Range number 36 E/W
2. Distance and direction from nearest town or city: Street address of well location if in city:		6 North of Ulysses to county road, 8 East, 1 3/4 North & West		Owner of well: Dale Corley 114 W. Pine Garden City, KS 67846		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 12-28-78 Well depth 390 ft.		
				7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 1 ft. in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia 16 in. to 390 depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .219		
				10. Screen: Manufacturer's name Johnson Type Johnson Galv. 100-16" Slot/gauze 0-220 Plain 220-3454 Perf. Set between 345-385 Screen 385-390 Perf. Gravel pack? yes Size range of material 1/4 to 5/8		
				11. Static water level: <input type="checkbox"/> mo./day/yr. 220 ft. below land surface Date <input type="checkbox"/>		
				12. Pumping level below land surfaces: 228 ft. after 2 hrs. pumping 750 g.p.m. 252 ft. after 4 hrs. pumping 1300 g.p.m. Estimated maximum yield 1300 g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
				14. Well head completion: <input type="checkbox"/> Pitless adapter 1 ft. inches above grade		
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction N/A Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Could 4 stg. 14" JHC Bowl Model number <input type="checkbox"/> HP 200 Volts <input type="checkbox"/> Length of drop pipe 360 ft. capacity 1200 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling Co. 208 Business name Box A, Garden City, KS 67846 License No. 62759 Address Box A, Garden City, KS 67846 Signature [Signature] Date 12-28-78 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

DALE CORLEY
GRANT COUNTY
4/26/77

Location: NE 14-27-36

Static Water Level- 200

Test #2

0	1	Top soil
1	35	Brown clay
35	56	Brown clay and fine to med. sand
56	68	Brown clay
68	73	Fine to med. sand and gravel (Loose)
73	98	Brown clay
98	180	Fine to med. sand and gravel (Loose)
110	206	Med. to coarse gravel (Loose)
206	230	Brown clay
230	243	Fine to med. sand and gravel (Loose)
243	298	Med. to coarse gravel (Loose)
298	305	Brown clay
305	344	Fine to med. sand and gravel streaks of coarse gravel (Loose)
344	348	Brown clay
348	385	Fine to med. sand and gravel (Loose)
385	434	Brown sandy clay
434	446	Brown and gray clay with brown rock (Tight)
446	451	Fine to med. sand and fine gravel with brown rock (Loose)
451	455	Brown gray and yellow clay (Hard)