WATER WELL RE	CORD	Form WWC-5			vision of Water	Resources App. No		
1 LOCATION OF WATER WELL: Fraction		Fraction		Sectio	n Number	Township No.	Range Number	
County: Grant		SN 14 SW 14 SE					R 36□E 💢 W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:			
Ulysses Jct Hwy 160/25 5 N on Hwy 25 to Rd 7 4.5E					Longitude: (in decimal degrees)			
on Rd 7 to small hite house on N side 300' N					Elevation:			
				Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Grant County Bank RR#, Street Address, Box #: 201 S Main St.					Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Ulysses KS 67880				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
A TOCATE WITH	i		······································	Est. Ac	ccuracy: $\square < 0$	3 m, 3-5 m,	5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WELI	L 4.85		ft.			
SECTION BOX:	ECTION BOX: Depth(s) Groundwater Encountered (1)295 ft. (2) ft. (3)							
N WELL'S STATIC WATER LEVEL 29.5ft. below land surface measured on mo/day/yr								
Pump test data: Well water was 3.5.7 ft. after							oing7. gpm	
1 NW 1 1 NO 1								
							njection well	
Domestic Feedlot Oil field wat					er supply Dewatering Other (Specify below)			
Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
was submitted: Water well disinfected? \(\nabla \) Yes \(\square\) No								
5 TYPE OF CASING USED: Steel X PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 5								
Casing height above land surface24								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel VPVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 180 ft. to 480 ft., From ft. to ft.								
From								
Grout Intervals: From 1ft. toft. to								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							er (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
					:11			
FROM TO	LITHOLOG	GIC LOG	FROM	ТО			GGING INTERVALS	
0 2 Topso 2 36 Tan o			350	371	Sandy cl		. 7	
	and sandy cl	av	371 382	382 396		ne and fine s	and	
	and sandy cl		396	425	Sandy cl	lay 1 clay streak	7 8	
91 172 Sand	and burdy of		425	468	Sand and Sand	a chuy strear	>	
	and clay str	reaks	468	472		lay and blue	clay	
210 271 Sand			472	485		l pink clay		
271 290 Clay								
290 330 Sand								
330 350 Sandy	_330 350 Sandy_clay							
under my jurisdiction and was completed on (mo/day/year) $1.0.1.1$ and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License NoKWCCL430 This Water Well Record was completed on Bro/day/year)								
under the business name of Howard Drilling Box 806 Beaver OK 78932 ignature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the confect answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Se	end one copy to WA	TER WELL OWNER and	retain one for	our recor	ds. Include <u>fee</u>	\geq of \$5.00 for each \leq	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								