KOLAR Document ID: 1414418

WATER W		ECORD Correction	Form V					ion of Wate] Well II	⁻ [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				FF.			ge Number						
County: 14 14 14					Secti	T S R DE W							
					Street or	reet or Rural Address where well is located (if unknown, distance and							
			direction fi	irection from nearest town or intersection): If at owner's address, check here:									
Address: Address:													
City:			State:	ZIP:									
3 LOCATE W	ELL												
WITH "X" I					D WELL:		ft.						
SECTION B	OX:				ed: 1)		20181000)						
N					ft., or 4) [EL:						AD 27		
					d on (mo-day					<u>Latitude/Longitude</u> unit make/model:			,
NW N	NE				l on (mo-day-					WAAS enabled?			
	ī l	_			ater was ft.			☐ Land Survey ☐ Topographic Map					
w	Е	after			pinggpm			☐ Online Mapper:					
SW X S	SE	aftar			1								
	1	Estimated Y		pumping gpm				6 Elevation :ft. ☐ Ground Level ☐ TOC					
S				gnn in. to ft. ar					Source: Land Survey GPS Topographic Map				
1 mile					ı. to					Other			
7 WELL WA	TER TO	BE USED A	AS:										
1. Domestic:					: well ID					eld Water Supply: 16			
Household					any wells?						•••		
Lawn & Ga	arden				well ID)					Uncased (
☐ Livestock 2. ☐ Irrigation					ation: well II					al: how many bores			
3. ☐ Feedlot] Air Sparge		Soil Vapor								
4. ☐ Industrial			Recovery		Injection					(specify):			
Was a chemica	al/bacteri	ological san	nple subm	itted to l	KDHE? □	Yes \square 1	No :	If yes, date	e sar	nple was submitte	d:		
Water well disi					_	_		•		ı			
8 TYPE OF C	CASING	USED: □ S	teel PV	C 🔲 Othe	er	CA	SIN	G JOINTS	S: 🗆	Glued Clamped	l 🔲 Wel	ded	☐ Threaded
										in. to			
Casing height ab					ght	lbs.	/ft.	Wall thick	kness	or gauge No			
TYPE OF SCR										7 (0)			
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	C	□ PVC	ised (open	hala)		ner (S	Specify)			•••••
SCREEN OR F					☐ None t	iseu (open	noie)						
☐ Continuou		☐ Mill Slot		auze Wrap	ped To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvered		☐ Key Punch						ne (Open H					
SCREEN-PER	FORATE	D INTERVA	ALS: From	1	. ft. to	ft., Fro	m	ft. to	o	ft., From	ft.	to.	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well													
Other (Specify) Direction from well? Distance from well?													
			ITHOLOG							tt. HO. LOG (cont.) or		INIC	SINTEDMALC
10 FROM	TO		ATHOLOG	JIC LUG	•	FRON	/1	TO	LH	no. Log (cont.) of	PLUGG	ING	INTERVALS
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water V	Well Cont	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was coi	mple	eted on (mo-day-y	ear)		
under the busin	ess name	of	****	mr r 0	TD ' '			1 5 2		or each <u>constructed</u> we		••••	
KS Department	S of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geol	ER and retain	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	и. 57. Teleph	one '	785-296-3565
-			KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							,			

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1414418

Litholgy

From	То	LithologicLog
0	2	surface
2	55	brown clay
55	61	sand fine to small
61	116	brown clay, few blue
116	125	sand fine to med
125	255	blue clay
255	308	sand fine to med coarse small gravel
308	332	sand fine to small thin clay
332	366	brown clay
366	376	sand fine
376	401	brown, yellow sandstone
401	423	sandstone, soapstone
423	425	soapstone, limestone
425	437	sandstone, soapstone
437	444	soapstone, limestone
444	456	soapstone, sandstone
456	547	shale, limestone
547	559	shale, few sandstone
559	567	shale, few soapstone, few sandstone
567	595	shale, some sandstone
595	629	sandstone, few soapstone
629	647	soapstone, sandstone sluffy shale and clays

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1414418

Litholgy

From	То	LithologicLog
647	656	soapstone, limestone
656	691	soapstone, sandstone
691	740	red bed