		RECORD						urces; App. No.			
1 LOCA	TION OF V	VATER WELL:	Fraction	SW 1/2	NE 1/2	ection Nu	mber	Township Num	ber	Range Number	
County: Kearney SW 1/4 SW 1/4 NE 1/4 5 T 26 S R 37 E/W Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)											
located within city? 14 North, 1.5 West & 2 North Latitude: Longitude:											
2 WATE	R WELL C	WNER: Troy Wa	aechter		E	levation:					
RR#, S	t. Address, I	Box # : 10278 1 de : Ulysses	N Rd G			atum.					
City, St	tate, ZIP Coo	de : Ulysses	s, KS 67880			ata Colle	ction M	lethod:			
3 LOCA	TE WELL'	S 4 DEPTH OF	COMPLE	TED WELI	220			ft.			
LOCA						_		_	_		
1	AN "X" IN	Depth(s) Groun	idwater Enc	ountered 1	11	7 	tt. 2	ft	. 3	ft.	
SECTI	ION BOX:	WELL'S STAT	FIC WATER	R LEVEL	117 ft.	below lan	nd surfa	ce measured on	mo/da	y/yr 7/27/ 0 7	
	N	Pump	test data:	Well water v	was	ft. a	after	hours p	umpin	ig gpm	
	NE -	Est. Yield	gpm:	Well water v	was	ft. a	after	hours p	umpin	ig gpm	
⊢nw	NE -	WELL WATE						conditioning 1			
WELL WATER TO BE USED AS: 3 Tubic water supply 6 Air conditioning 17 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify bel 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									r (Specify below)		
Was a chemical/bacteriological sample submitted to Department? Yes No x; If yes, mo/day/yrs											
										F	
ا الـــــــــــــــــــــــــــــــــــ	لــــــــــــــــــــــــــــــــــــــ	Was a chemica	1/bacteriolog	gical sample	submitted	to Departi	ment?	Yes No	x ; 11	yes, mo/day/yrs	
S Sample was submitted Water Well Disinfected? Yes x No											
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded											
1 Ste	el 3	RMP (SR) 6	Asbestos-C	ement 9	Other (sp	ecify bel	ow)	W	elded		
2 <u>PV</u>	<u>C</u> 4	ABS 7	Fiberglass			Eagle	e- Loc	T	hread	ed	
2 PVC 4 ABS 7 Fiberglass Eagle-Loc Threaded Blank casing diameter 5 in. to 220 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 24 in., Weight lbs./ft. Wall thickness or gauge No. SDR 21											
Casing height above land surface 24 in., Weight lbs./ft. Wall thickness or gauge No. SDR 21											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 90 ft. to 110 ft. From 130 ft. to 150 ft.											
From 170 ft. to 190 ft. From ft. to ft.											
GRAVEL PACK INTERVALS: From 26 ft. to 220 ft. From ft. to								ft.			
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 90 ft. to 110 ft. From 130 ft. to 150 ft. From 170 ft. to 190 ft. From ft. to ft. From ft. F									ft.		
6 CPOUT MATERIAL: 1 Next cement 2 Cement grout 3 Rentonite 4 Other											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite Grout Intervals From 6 ft. to 26 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify											
	er lines	5 Cess pool		ge lagoon 1				andoned water w		below)	
		r lines 6 Seepage					15 Oil	well/ gas well			
Direction from well? How many feet? None observed											
FROM	TO	LITHO	LOGIC LO	3	FROM	TO		PLUGGING	INTE	RVALS	
0		Fine sand	LOGIC LO		1 10171	1		120001110			
15		Sandstone & shale									
30		Shale & a little sar									
75	120	White sandstone &	& shale								
120		Yellow & white cla									
135		Gray shale & a lit	tle sandstor	1e							
165	220	Shale	1.4								
	ļ										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged											
lunder my jurisdiction and was completed on (mo/day/year) 7/28/07 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 473 This Water Well Record was completed on (mo/day/year) 8/28/07											
under the b	ousiness name	of Tyler Water V	Well Inc.		by (signatu	re)	les Ti	1 sola			
Sound ton three copies to Kaness Department of Hearth and Environment, Bureau of Water											
Carlani Car	Location 1000 SW Jackson St. Suite 420 Toneka Kansas 66612-1367, Telephone 783-290-3322, Send one to WATER WELL OWNER and retain one to										
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											