			WATE	R WELL RECORD	Form WWC-5	KSA 828	1-1212	
LOCATION	ON OF WATE		Fraction			tion Number	Township Number	Range Number
County: GRANT			NE 1/4		NW 1/4	<u> 15</u>	T 27 S	R 38 €w)
				odress of well if locate miles west of		KG		_
<del></del>			d Rexroat	miles west of	orysses,	- KD		
_	R WELL OWN		, Box 43				Donal of Australia	
	Address, Box : , ZIP Code	, ,	, KS 6786	50				e, Division of Water Resources
<del></del>			<del></del>		2001		Application Number	и:
AN "X"	IN SECTION	BOX:	Depth(s) Ground	water Encountered 1		ft.	2 f	t. 3 ft.
Ŧ	X	!!!						/yr
-	- NW	- NE						pumping gpm
, ,	1							pumping gpm
∯ w ⊦								.in. to
≥	-	- ! ! !'			5 Public wate		-	11 Injection well
1  -	- sw	- SE	1 Domestic					12 Other (Specify below) STOCK WELL
1 1	1	<u> </u>	2 Irrigation				TO ODSOLVATION WOR	
<u> </u>			was a cnemical/i	bacteriological sample :	submitted to De	•	es; If yater Well Disinfected? Yes	yes, mo/day/yr sample was sub- X No
TYPE C	OF BLANK CA			5 Wrought iron	8 Concre	ete tile	CASING JOINTS: G	lued Clamped
1 Ste	<del>ool</del>	3 RMP (SR	1)	6 Asbestos-Cement		(specify belo	•	/elded
_ 2 PV		4 ABS		7 Fiberglass				hreaded
								in. to ft.
_	-			.in., weight 3	•43	lbs.	ft. Wall thickness or gauge	e No
		PERFORATION			7 PV		10 Asbestos-co	I
1 Ste		3 Stainless		5 Fiberglass		IP (SR)	• •	oify)
2 Br		4 Galvanize		6 Concrete tile	9 AB	S	12 None used	`' '
		ATION OPENING			ed wrapped		8 Saw cut	11 None (open hole)
	ntinuous slot	3 Mil			wrapped		9 Drilled holes	
	uvered shutter		y punched	7 Torch		<b>4</b> F	` · · · · · · · · · · · · · · · · · · ·	ft. toft.
SCHEEN-I	PERFURATEL	INTERVALS:						ft. toft.
C	GRAVEL PAC	K INTERVALS:		298 ft. to .		ft., Fro	om	ft. toft.
T			From					ft. to ft.
_	MATERIAL:	1 Neat co		2 Cement grout				
				π., From	π.			ft. toft.
		rce of possible of 4 Latera		7 Dia nation			· <b>F</b>	4 Abandoned water well
	<b>Puo 14.</b>			p,			storage 1	1
	wer lines	5 Cess r lines 6 Seepa	•	• •			lizer storage 1	6 Other (specify below) NONE OBSERVED
Direction 1	•	illes o Seepa	age pit	9 reeuyalu			any feet?	
FROM	TO		LITHOLOGIC	LOG	FROM	TO		OGIC LOG
							g.v.,i.v.	
		SEE A	ATTACHED LO	OG				
								•
	ļ							
	<u> </u>							
								under my jurisdiction and was
•		•						y knowledge and belief. Kansas
						-	I on (mo/day/yr) $12-1$	
				& Supply Co.,		by (sign		Ruchment
								. Send top three copies to Kansas lephone: 913-862-9360. Send one
		R and retain one f				3 3000011, 1		

## DRILLERS TEST LOG

CUSTOMERS NAME Howard Rexroat	DATE 12-5-86
STREET ADDRESSRFD 1, Box 43	TEST # 1 E. LOG Yes
CITY & STATE Lakin, KS 67860	DRILLER Bill Loss
COUNTY Grant QUARTER NW SECTION 15 TOW	NSHIP27 RANGE 38
LOCATION Approx. 1000' East and 300' South of NW co	
(150 ft. SE of house)	

		(1	50 ft.	SE of house)	•				
1%	FOOTAGE			Static Water Level 125'					
	From Pay To		To	DESCRIPTION OF STRATA Proposed Well Depth 300'					
	0		3	Top Soil					
	3		17	Brown sandy clay and caliche Brown sandy clay and fine sand streaks Sand, fine to medium, coarse and small to large gravel					
	17		35						
	35		62						
	62		69	Cemented sand, fine to medium, coarse					
	69		80	Brown sandy clay					
	80		103	Sand, fine to medium, coarse, small gravel and few					
				clay streaks					
	103		138	Brown clay	ļ				
	138		143	Brown sandy clay and limerock ledges, and few fine snad					
				streaks					
	143		158	Sand, very fine to fine					
40	158	16	174	Yellow and brown sandstone, used water, lost circulation at 1	72'				
<u> </u>	174		208	Blue and red clay					
	208		222	Blue soapstone and limerock streaks					
20	222	29	251	Sandstone and soapstone streaks					
	251		254	Limerock (hard)	ĺ				
25	254	18	272	Sandstone and soapstone streaks, few limerock ledges	ĺ				
35	272	24	296	Sandstone and shale streaks					
	296	<u> </u>	312	Yellow soapstone and blue shale streaks					
	312	<u> </u>	400	Blue shale and limerock ledges					
	<u> </u>	<u> </u>	<u> </u>						
	<b> </b>	<b> </b>							
	<u> </u>	<del> </del>	ļ	Used 16 Bags Celca					
	<u> </u>	<del>                                     </del>		4 Bags Gel					
		<del> </del>		15 Loads of Water from Tail Water Pit					
		<del> </del>	<b></b>						
	<del> </del>	<del> </del> -	<del> </del>	0-58 5" PVC Casing - SDR21					
	<del> </del>	┼	<del>                                     </del>	58-238 5" PVC Casing - SDR17	[				
-	<del>                                     </del>	┨—	<del> </del>	238-298 5" PVC Perforated Casing - SDR17	i				
	<del> </del>	<del> </del>	<del> </del>		l				
	<del> </del>	-	<del> </del>						
	<del>                                     </del>	-	<del> </del>						
	<del> </del>		<del> </del>						
	<del> </del>		<del> </del>						
<del> </del>	<del> </del>		<del> </del>						
	<del> </del>	+	<del> </del>		1				
	<del> </del>		<del> </del>		1				
			٠		1				

GARDEN CITY, KS Phone 276-3278

HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KS IRRIGATION HEADQUARTERS Phone 675-4311 TEST HOLES \* \* \* \* \* \* IRRIGATION & INDUSTRIAL WELLS \* \* \* \* STOCK WELLS