


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Grant	Township name Sherman	Fraction NE 1/4 SW 1/4 Sec 33	Section number 33	Town number 27 S	Range number 38 W
Distance and direction from nearest town or city: 7 mile West + S 1/2 North of Ulysses.				3 Owner of well: Bale Puckett		
Street address of well location if in city:				Address: Ulysses, KANSAS		
Locate with "X" in section below: N  W E S 1 Mile			Sketch map:			4 Well depth: 400' ft. Date of completion 8-2-75 Well diameter 9" in.
2 Type and color of material			From		To	
			Surface		0 10	
			Clay w/ Strippy fine sand.		10 215	
			Sand med-course		215 258	
			Clay w/ Sand strips.		258 300	
			Sand rock w/ Sandstone in shell		257 300 400	
			(use a second sheet if needed)			
6 Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>			7 Casing: Material SPY Height: above/below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. Diam. Weight 320 lbs./ft. ↓ 5 in. to 400' ft. depth! Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No — in. to — ft. depth!			
8 Screen: Manufacturer Sunflower Type Styrene Dia. 5" Slot/gauge Length 40' Set between 360' ft. and 400 ft. — Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material —			9 Static water level: 265 ft. below land surface Date 8-6-75			
10 Pumping level below land surfaces: 280 ft. after 4 hrs. pumping 10 g.p.m. — ft. after — hrs. pumping — g.p.m. Estimated maximum yield unknown g.p.m.			11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date —			
12 Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> Inches above grade			13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 1 ft. to 10 ft.			
14 Nearest source of possible contamination: ft. 10 Direction NE Type Canal Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Acmeator Model number SP1210 HP 1 Volts 230 Length of drop pipe 300 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
16 Remarks: elevation Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Jim Smith Pump Serv. 160 Business name License No. Address Box 207 Signed Jim Smith Date 8-26-75 Authorized representative			