WATER WELL RECORD Form WWC-5 Division of Water							
✓ Original Record		ige in Well Use		irces App. No.		Well ID	
1 LOCATION OF		Fraction		ion Number	Township Numb		
County: Stantor		SW ¼ SW ¼ NW ½		9	T 27 S	R 39 □ E 🗹	
2 WELL OWNER: Last Name: Gum Business:  Street or Rural Address where well is located (if unknown, distance a direction from nearest town or intersection): If at owner's address, check her						(it unknown, distance and r's address, check here: [	
Address: 9938 N.	Rd D		Intersection	County Rd D	& Rd 2 1/4 Mile	South	
140				Intersection County Rd D & Rd 2 1/4 Mile South  East Side 100' East			
City: Johnso					07 7405	71	
WITH "X" IN	3 LOCATE WELL WITH "X" IN Depth(s) Groundwater Encountered: 1)						
SECTION BOX:		r Encountered: 1)3					
N	2) ft.	3) ft., or 4)	TDry Well		Z WGS 84 □ NA		
	WELL SSIATIC W.	ATER LEVEL:3	(1.0) 03/05/2020	Source to	or Latitude/Longitude	<u>.</u>	
below land surface, measured on (mo-day-yr).  above land surface, measured on (mo-day-yr).			y-vr)	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
[ NW   NE	A showe land surface, measured on (mo-day-yr)  Pump test data: Well water was						
$W \longrightarrow W$	E after hou	irs pumping	gpm	Onli	ne Mapper:		
SW SE		water was					
SW   SE	after hou	rs pumping	gpm	6 Elevatio	n: 3237 ft	t. 🗹 Ground Level 🔲 T	
S	Estimated Yield:4	10.5 in. to 513	tt and	Source: [	☐ Land Survey ☐	GPS   Topographic N	
mile	Bore Hole Diameter.	in. to	H. anu		Other KOLAR		
7 WELL WATER		III. 10	46.				
1. Domestic:		Vater Supply: well ID		10. □ Oil F	ield Water Supply: 1	ease	
☐ Household		ing: how many wells?		11. Test Ho	le: well ID		
☐ Lawn & Garden	7. 🗌 Aquifer	Recharge: well ID			d Uncased 🗆		
☑ Livestock	8. 🗌 Monitor	ing: well ID		12. Geother	mal: how many bore	s?	
2. 🔲 Irrigation		ntal Remediation: well		a) Close	ed Loop    Horizon	tal U Vertical	
3.  Feedlot	☐ Air Spar		Extraction	b) Oper	r (croosify):	ischarge  Inj. of Wate	
4. 🗌 Industrial	☐ Recover	-		<del></del>	* * * * * * * * * * * * * * * * * * * *		
	cteriological sample sub	mitted to KDHE?	] Yes 🛮 No	If yes, date s	ample was submitte	ed:	
Water well disinfect	ed? ☑ Yes ☐ No						
8 TYPE OF CASI	NG USED: ☐ Steel ☑ P	VC Other	CASIN	IG JOINTS: I	☐ Glued 🗹 Clampe	d   Welded   Thread	
Casing diameter	6 in to 513 f nd surface 24	t., Diameter	in. to	ft., Diamet	er in. to .	π. R17	
Casing height above la	nd surface	in. Weight	lbs./π.	wan thickne	ess or gauge No	. ?	
	OR PERFORATION M. Stainless Steel	ATERIAL:		☑ Other	(Specify)SC	:H80 473'-513'	
	Galvanized Steel		used (open hole		(Specify)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	ORATION OPENINGS		(- <b>F</b>	,			
☐ Continuous Slot	☐ Mill Slot ☐	Gauze Wrapped	Forch Cut 🔲 D	rilled Holes [	Other (Specify)		
☐ Louvered Shutte	r 🔲 Key Punched 📋	Wire Wrapped	Saw Cut 🔲 N	one (Open Hol	e)		
SCREEN-PERFOR	r Key Punched ATED INTERVALS: From PACK INTERVALS:	om .413 ft. to .513	ft., From .	ft. to .	ft., From	ft, to ft	
GRAVEL	PACK INTERVALS: Fr	om ft. to	2 ft., From .			ft. to ft	
9 GROUT MATE	RIAL: Neat cement 5 ft. to 30	☐ Cement grout ☑ I	Bentonite 🔲 C	other			
Grout Intervals: Fron	1 ft. to	ft., From	ft. to	ft., From	It. to	n.	
		No potential source of co		nin 200 ft. Livestock Pens	□ Insect	icide Storage	
☐ Septic Tank☐ Sewer Lines	☐ Lateral Li ☐ Cess Pool			Fuel Storage		doned Water Well	
				Fertilizer Stora		ell/Gas Well	
Other (Specify)	Lines Seepage F. Nothing within 300:				-		
Direction from well? .		Distance from	well?		f	t	
10 FROM TO		OGIC LOG	FROM	TO L	ITHO. LOG (cont.) c	or PLUGGING INTERV.	
Attached Attached	Attached						
						<del> </del>	
Notes:							
		SIG CONTRACTOR STATES		<u>, , , , , , , , , , , , , , , , , , , </u>		amatmiated as District	
11 CONTRACTO	R'S OR LANDOWNER	C'S CERTIFICATIO	<b>IN:</b> This wate	r well was 🗹	constructed, rec	constructed, or   plug	
under my jurisdiction and was completed on (mo-day-year) .03/05/2020 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 846							
under the husiness name of Nash Water Well Service, LLC							
	Send one copy to WATER	WELL OWNER and retain	in one for your rec	ords. Fee of \$5.0	0 for each constructed v	vell.	
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.						
Visit us at http://www.	Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="http://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>						

4-T27-39W

Stanton

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Jerry Gum	
Doc ID	1509461	

Lithology

Lithology		
0	12	TOP SOIL, TAN BROWN CLAY WITH FINE SAND STREAKS
12	24	WHITE CALICHE, WHITE TAN CLAY WITH CEMENTED SAND
24	42	FINE COARSE SAND WITH SMALL TO LARGE GRAVEL
42	47	TIGHT LOOSE ROCK WITH CEMENTED LAYERS OF FINE COARSE SAND
47	83	BROWN CLAY WITH FINE SAND
83	100	TIGHT ROCK, YELLOW CLAY WITH THIN FINE SAND STREAKS AND CALICHE
100	110	GRAY CLAY, PURPLE CLAY
110	140	GRAY STICKY CLAY
140	160	GRAY PINK CLAY
160	180	GRAY BLUE CLAY
180	185	BLUE SHALE
185	200	BLUE GRAY CLAY
200	220	GRAY CLAY & SANDSTONE
220	260	BLUE SHALE WITH THIN SANDSTONE
260	300	BLUE SHALE WITH THIN ROCK LAYERS

.... Stanton

9-T27-39W

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Jerry Gum	
Doc ID	1509461	

## Lithology

Littlology	and the second second	
300	320	BLUE SHALE WITH THIN SANDSTONE STREAKS
320	340	BLUE SHALE WITH GRAY SANDSTONE STREAKS & LAYERS
340	360	GRAY SANDSTONE, GRAY CLAY
360	460	GRAY SANDSTONE
460	480	GRAY SANDSTONE
480	500	TAN SANDSTONE SOME FINE COARSE SAND LOOSE
500	518	TAN SANDSTONE TIGHT
518	520	BLUE RED