KOLAR Document ID: 1530503

WATER W	·	ECORD Correction		WWC-5 e in Well Use		ivision of Wa sources App.			Well ID		
1 LOCATIO			-	Fraction		ection Num		Township Numb		ige Number	
County: $\frac{1}{4}$					/4 ¹ /4	$\begin{array}{c c} T & S \\ \hline \end{array} \\ \hline \\ \end{array} \\ \hline \\ \end{array} \\ \hline \end{array} \\ \hline \end{array} \\ \hline \\ \end{array} \\ \\ \\ \end{array} \\ \hline \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \\$					
Business: di Address: Address:						Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCATE V WITH "X"		ft. 5 Latitude :(decimal degrees)									
SECTION		Depth(s) Gro		8							
N		2) ft. 3) ft., or 4) □ D WELL'S STATIC WATER LEVEL:									
			/-yr)			(unit make/model:)			
NW	NE		-yr)	•							
w X		Pump test data: Well water was ft. after hours pumping gpm					□ Land Survey □ Topographic Map □ Online Mapper:				
		untertit	ft.								
SW	SE		after hours pumping gpr Estimated Yield:				6 Elevation:ft. Ground Level TOC				
S		Bore Hole D	ft and		Source: Land Survey GPS Topographic Map						
1 mile-		Done mone D	ft.	Other							
7 WELL WATER TO BE USED AS:											
1. Domestic:	d			ter Supply: well ID g: how many wells? .			10. □ Oil Field Water Supply: lease 11. Test Hole: well ID				
Lawn & C											
Livestock 8. Monitoring			g: well ID	12. Geo	otherm	nal: how many bores	?				
2. Irrigation 9. Environmental Remediation 3. Feedlot Air Sparge											
			Recovery		Extraction		b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
\Box Louvered Shutter \Box Key Punched \Box Wire Wrapped \Box Saw Cut \Box None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest source of possible contamination: No potential source of contamination within 200 ft.											
Septic Tan			Lateral Line			Livestock I			ide Storage		
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well											
☐ Other (Specify) Direction from well? ft.											
10 FROM	TO		ITHOLOG		FROM	ТО		ft. FHO. LOG (cont.) or	PLUGGIN	GINTERVALS	
	10	L			TROW	10			LUGOIN	S INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my juris	sdiction an	id was compl	eted on (n	no-day-year)	an	this record	l is tr	ue to the best of my	y knowled	ge and belief.	
Kansas Water	Well Con	tractor's Lice	ense No	This W	ater Well R	ecord was c	omple	eted on (mo-day-ye	ear)		
	5	Send one copy to	WATER W	'ELL OWNER and retain	one for your re	cords. Fee of	\$5.00 t	for each constructed we	11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											