

1 LOCATION OF WATER WELL: Fraction <u>SW 1/4 SW 1/4 NE 1/4</u> Section Number <u>32</u> Township Number <u>T 27 S</u> Range Number <u>R 4 E</u>					
County: <u>Sedgewick</u> Distance and direction from nearest town or city street address of well if located within city? <u>See Below.</u>					
2 WATER WELL OWNER: <u>Steve Seiter</u> Board of Agriculture, Division of Water Resources RR#, St. Address, Box #: <u>2620 So 383rd West</u> Application Number: City, State, ZIP Code: <u>Cheney KS 67025.</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>50</u> ft. ELEVATION: <u>12</u> ft. 3.				
	Depth(s) Groundwater Encountered 1. <u>12</u> ft. 2. <u>16</u> ft. 3. <u>12</u> ft.				
	WELL'S STATIC WATER LEVEL <u>12</u> ft. below land surface measured on mo/day/yr <u>5-12-94</u>				
	Pump test data: Well water was <u>15</u> ft. after <u>12</u> hours pumping <u>20</u> gpm				
	Est. Yield <u>50</u> gpm: Well water was <u>11</u> ft. after <u>12</u> hours pumping <u>20</u> gpm				
	Bore Hole Diameter <u>11</u> in. to <u>50</u> ft., and <u>11</u> in. to <u>50</u> ft.				
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial <u>7 Lawn and garden only</u> 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <u>X</u> No <u>X</u>					
5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped <u>X</u> 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded <u>X</u> <u>2 PVC</u> 4 ABS 7 Fiberglass Threaded <u>X</u>					
Blank casing diameter <u>5</u> in. to <u>20</u> ft. Dia. <u>20</u> in. to <u>50</u> ft. Dia. <u>160</u> in. to <u>160</u> ft.					
Casing height above land surface <u>12</u> in. weight <u>2.60</u> lbs./ft. Wall thickness or gauge No. <u>160</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL: <u>7 PVC</u> 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot <u>3 Mill slot</u> 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>20</u> ft. to <u>50</u> ft. From <u>18</u> ft. to <u>50</u> ft.					
GRAVEL PACK INTERVALS: From <u>18</u> ft. to <u>50</u> ft. From <u>18</u> ft. to <u>50</u> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout intervals: From <u>3</u> ft. to <u>18</u> ft. From <u>18</u> ft. to <u>50</u> ft. From <u>18</u> ft. to <u>50</u> ft.					
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well <u>1 Septic tank</u> 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? <u>SW</u> How many feet? <u>110</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>2</u>	<u>Top soil</u>			
<u>2</u>	<u>13</u>	<u>CLAY</u>			
<u>13</u>	<u>19</u>	<u>FINE SAND</u>			
<u>19</u>	<u>25</u>	<u>Gravel</u>			
<u>25</u>	<u>50</u>	<u>Red shale</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-17-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>318</u> This Water Well Record was completed on (mo/day/yr) <u>6-21-94</u> under the business name of <u>Weninger Dully</u> by (signature) <u>[Signature]</u>					