

WATER WELL R		WWC-5 1131	DIV	ision of Water						
Original Record Correction Change in Well Use				Resources App. No. Well ID						
1 LOCATION OF WATER WELL: County:Fraction1/41/41/41/4				$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
2 WELL OWNER: Last Name:     First:     Street or Rural Address where well is located (if unknown, distance and										
Business:	ist Name.					's address, check here:				
Address:										
Address:	State:	ZIP:								
City: <b>3 LOCATE WELL</b>	State.	ZIF.								
WITH "X" IN		MPLETED WELL: .				(decimal degrees)				
SECTION BOX:	1 1	Encountered: 1)		Longitude:(decimal degrees)						
Ν		3) ft., or 4) □ TER LEVEL:		Datum: WGS 84 NAD 83 NAD 27						
		e, measured on (mo-day-			Source for Latitude/Longitude: ☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
NW NE		e, measured on (mo-day-								
	Pump test data: Well	water was ft	•	🗆 Lan						
W E		s pumping				· · ·				
SWSE		water was f								
	Estimated Yield:	s pumping	gpm	6 Elevation:ft.  Ground Level  TOC						
S		spin in. to	. ft. and	Source:	□ Land Survey □ C	GPS 🔲 Topographic Map				
1 mile		in. to			□ Other					
7 WELL WATER TO	<b>BE USED AS:</b>									
1. Domestic:		ater Supply: well ID				ase				
☐ Household ☐ Lawn & Garden		ng: how many wells?								
Livestock		Recharge: well ID			rmal: how many bores					
2. Irrigation		tal Remediation: well ID			sed Loop 🔲 Horizonta					
3. Feedlot	Air Sparg					scharge 🔲 Inj. of Water				
4. 🔲 Industrial	□ Recovery									
Was a chemical/bacter	iological sample subr	nitted to KDHE?	Yes 🗌 No	If yes, date s	sample was submitted	d:				
Water well disinfected?				•	L					
8 TYPE OF CASING	USED: Steel PV	C Other	CASI	NG JOINTS:	Glued Clamped	Welded Threaded				
Casing diameter										
Casing height above land s			lbs./ft.	Wall thickn	ess or gauge No					
TYPE OF SCREEN OR					· (C					
	anized Steel		sed (open hol		r (Specify)					
SCREEN OR PERFOR			seu (open nor	.)						
			rch Cut 🔲 🛙	Drilled Holes	☐ Other (Specify)					
Louvered Shutter	□ Key Punched □ W	Vire Wrapped 🛛 🗌 Sav	w Cut 🛛 🗋 N	None (Open Ho	le)					
SCREEN-PERFORATE										
	CK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Nearest source of possible		It., From	tt. to	It., From	ft. to	It.				
Septic Tank	Lateral Lin	es 🗆 Pit Privy		Livestock Pens		ide Storage				
Septic Tank       Lateral Lines       Pit Privy       Livestock Pens       Insecticide Storage         Sewer Lines       Cess Pool       Sewage Lagoon       Fuel Storage       Abandoned Water Well         Watertight Sewer Lines       Seepage Pit       Feedyard       Fertilizer Storage       Oil Well/Gas Well										
UWatertight Sewer Lin		t 🗌 Feedyard		Fertilizer Stora	ige 🗌 Oil Wel	ll/Gas Well				
□ Watertight Sewer Lines       □ Seepage Pit       □ Feedyard       □ Fertilizer Storage       □ Oil Well/Gas Well         □ Other (Specify)        Distance from well?        ft.										
						PLUGGING INTERVALS				
10 FROM TO	LITHOLO	GIULUG	FROM	TO L	TTHO. LOG (cont.) or	PLUGGING INTERVALS				
			Notes:							
<b>11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.										
Kansas Water Well Con	tractor's License No		ter Well Red	cord was com	pleted on (mo-day-ve	ear)				
under the business name	of			- 						
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										
KS Department of Hashing			UNU JAVY JACKSON	or., outle 420, 10	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212					

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1131942	

## Litholgy

From	То	LithologicLog
0	2	SURFACE
2	43	BROWN CLAY, FEW SAND
43	88	SANF FINE TO MED COARSE FEW CLAY
88	100	BROWN CLAY(FIRM&STICKY)
100	122	SAND FINE TO SMALL FEW CLAY
122	219	BROWN CLAY FEW SAND
219	284	SAND FINE TO MED COARSE FEW LEDGES
284	299	BROWN CLAY, LIMEROCK
299	323	SAND FINE TO SMALL MED SOME CLAY
323	360	SAND SILTY TO FINE, CLAY MED
360	370	BROWN CLAY, SOME SILTY SAND
370	387	BROWN ROCK (LOOSE)
387	399	SOAPSTONE, LIMESTONE,SHALE
399	480	SHALE, FEW LIMESTONE
480	490	SHALE SOAPSTONE, SANDSTONE
490	493	LIMESTONE (HARD)
493	499	SOAPSTONE, SHALE, FEW LIMESTONE
499	527	SANDSTONE (LOOSE)

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1131942	

## Litholgy

From	То	LithologicLog
527	586	SANDSTONE, SOAPSTONE, (TIGHT)
586	593	LIMESTONE, (HARD)
593	599	SANDSTONE
599	640	SOAPSTONE, LIMESTONE