			WAT	ER WELL RECORD	Form WW	C-5 KSA 8	2a-1212		•	
_	ION OF WA		Fraction			Section Numb		Number	Range Number	
County:	Stanton		SW 1		NW 1/4	17	т 27	S	R 40 E/W	
Distance				address of well if loc	ated within cit	y?				
1	8N-2E-1	N. Johnson	on, Ks.		·- · ·					
2 WATE	R WELL OW	/NER:	George Ca	rrithers	(Jim Carr	ithers <del>)</del>				
RR#, St.	Address, Bo	x # :	Johnson,	<b>Kana</b> as 67855	Johnso	n, Ks.	Board of	Agriculture,	Division of Water Resources	
	e, ZIP Code	;	-					n Number:		
LOCAT	E WELL'S L	OCATION WITH N BOX:	4 DEPTH OF Depth(s) Groun	COMPLETED WELL	<b>248</b> 1	ft. ELE	VATION:	ft. 3	3 ft	
Depth(s) Groundwater Encountered 1										
Pump test data: Well water was ft. after hours pumping  Est. Yield gpm: Well water was ft. after hours pumping										
ا ي	χi	i   _	Bore Hole Diameter							
₹ ~	!	1	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
7 l	SW	1 SE	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Speci					Other (Specify below)		
	3 <b>W</b>	30	2 Irrigation	4 Industrial	7 Lawn ar	nd garden only	10 Observation w	eli		
↓ L	<u>i</u>		Was a chemical	l/bacteriological samp	le submitted to	Department?	YesNo3	X; If yes	, mo/day/yr sample was sub-	
			mitted				Vater Well Disinfect			
TYPE	OF BLANK (	CASING USED:		5 Wrought iron	8 Co	ncrete tile	CASING JO	INTS: Glue	d . XX Clamped XX .	
1 S	`	3 RMP (SF	₹)	6 Asbestos-Ceme	nt 9 Oth	er (specify be	low)	Weld	led	
(2 pr		4 ABS		7 Fiberglass					aded	
Blank cas	ing diameter		in. to <b>208</b>	ft., Dia	in.	to	ft., Dia		in. to ft.	
Casing height above land surface 12-24in., weight 200PSI										
		R PERFORATION	N MATERIAL:		T,	PVC	10 As	bestos-ceme	ent	
1 S		3 Stainless	steel	5 Fiberglass	8	RMP (SR)	11 Oti	ner (specify)		
2 B		4 Galvaniz		6 Concrete tile	9	ABS	12 No	ne used (op	en hole)	
									11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes										
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS:         From										
	004VEL 04	014 INTERVALO								
	GRAVEL PA	CK INTERVALS:							:oft.	
CROU	T MATERIAL	·	From	ft. to		ft., F				
_	T MATERIAL			2 Cement grout						
Grout Intervals: From										
What is the nearest source of possible contamination:  (50 Ft. Down 1010) estock pens North 14 Abandoned water well  Septic tank  4 Lateral lines  7 Pit privy  11 Fuel storage  15 Oil well/Gas well										
	ewer lines									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (spec 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								ritler (specify below)		
	from well?	North	ago pa	o i codyara	•		ecticide storage gany feet? 100			
FROM	ТО	MOL CII	LITHOLOGIC	LOG	FROM		ially leet: 10t	LITHOLOG	IC LOG	
0	90	Sand								
90	200	Clay W/	sand brea	kers 30%						
200	210	Sand								
210	248	Sandstor	ne							
100										
		- <del></del>								
	ļ									
-	ļ	•								
		,,								
	ļi									
	<u> </u>									
CONT	RACTOR'S	OR LANDOWNER	'S CERTIFICAT	ION: This water well	l was (1) cons	structed, (2) re	constructed, or (3)	olugged und	der my jurisdiction and was	
completed on (mo/day/year)										
				This Water	Well Record	was completed	d on (mo/day/yr), .	8/16/8	2	
		me of <b>JIM</b> S				by (sign	nature) BK Sit	ty fe	arce	
INSTRUC	I IONS: Use	typewriter or ball p	point pen, <u>PLEAS</u>	SE PRESS FIRMLY	and <u>PRINT</u> cle	early. Please fil	I in blanks, underline	or circle the	e correct answers. Send top	
OWNER	and retain on	e for your records	aiti ailu Efiviron S		ioninent, Envi	ониепта Geol	ogy section, Topeka	i, no 66620.	Send one to WATER WELL	